

✓ Exklusive Angebote für Installateure

✓ Große Auswahl an Qualitätsprodukten

Leuchten, Leuchtmittel und Zubehör

Exklusiv für Sie als PRO-Kunde



NOXION
Best in class lighting

OSRAM 

PHILIPS

 **LEDVANCE**

BELEUCHTUNGSDIREKT

Über 25 Jahre Erfahrung, europäischer Marktführer in der Beleuchtungsindustrie, ein internationales Unternehmen – das ist der Online-Großhändler BeleuchtungDirekt. Wir haben es uns zum Ziel gemacht, Fachleute wie Installateure und Elektriker mit nachhaltigen und energieeffizienten Lichtlösungen auszustatten. Wir bieten Ihnen nicht nur einen individuellen Service und Sonderkonditionen, sondern auch ein großes Sortiment bestehend aus Leuchten, Leuchtmitteln und Zubehör an. Dabei legen wir höchsten Wert auf Produktqualität. In unserem Online-Sortiment finden Sie daher ausschließlich Top-Marken, wie Philips, Osram und Noxion. Die Produkte unserer Eigenmarke Noxion erfüllen die höchsten Standards in puncto Effizienz, Lebensdauer und Sicherheit. Als BeleuchtungDirekt agieren wir nicht nur in Deutschland, sondern auch in der Schweiz und Österreich.

Darum wählen Installateure BeleuchtungDirekt



Viele Top-Marken

In unserem Online-Shop finden Sie ausschließlich bekannte Qualitätsmarken. Wir bieten Ihnen zudem eine Produktgarantie von bis zu 5 Jahren an.



Persönlicher Ansprechpartner

Als PRO-Kunde haben Sie stets einen persönlichen Ansprechpartner unter unseren Lichtexperten.



Technische Beratung

Haben Sie Fragen zu unseren Produkten oder Dienstleistungen? Kontaktieren Sie uns für eine individuelle Beratung.



Schnelle Lieferung

Dank unserem großen Lagerbestand können wir Ihnen eine breite Palette von Produkten direkt zu Ihnen nach Hause oder an Ihren Arbeitsort liefern.



Kostengünstige Preise

Als Online-Großhändler kaufen wir im großen Stil ein und geben diesen Preisvorteil an unsere Kunden weiter.



Große Produktauswahl

Wir bieten Ihnen unterschiedliche Leuchten, Leuchtmittel und Zubehör an, sodass Sie stets die passende Beleuchtungslösung finden.



Jean-Pierre Moritz
Inside Sales Manager



Mangit Poon
Inside Sales Manager

Energiekosten sparen mit LED

Die Tage werden kürzer, der Bedarf nach Licht steigt: Gerade jetzt machen sich viele Gedanken darüber, wie man bei der Beleuchtung sparen kann. Der perfekte Zeitpunkt für uns, um zu betonen, wie effizient moderne LED-Leuchtmittel sind. Mit unseren Qualitätsprodukten sparen Sie und Ihre Kunden bis zu 70 % Energiekosten!

Doch nicht nur das: Unsere exklusiven Services für PRO-Kunden rücken Sie als Fachkraft in den Fokus: Wir erstellen Ihnen kostenlose Lichtpläne, errechnen, wie viel Strom Sie durch den Wechsel zu LED einsparen können und bieten Ihnen individuelle Angebote zu den besten Konditionen.

Sie haben Fragen, Anregungen oder möchten Kontakt mit uns aufnehmen? Dann rufen Sie einfach an oder schreiben uns eine E-Mail unter:

0221 82828069 oder **pro@beleuchtungdirekt.de**

Wir freuen uns auf Ihr nächstes Lichtprojekt!

Top-Marken in unserem Online-Shop:

NOXION
Best in class lighting

OSRAM



PHILIPS

nordlux®

 **LEDVANCE**


 **steinel**

SYLVANIA

 **Paulmann**

Inhaltsverzeichnis

LED Leuchten

					
Panels	Feuchtraum- leuchten IP65/IP66 p.12	Wannen- leuchten p.18	Decken- leuchten p.19	Lichtbandsys- teme p.20	Hallenleuch- ten p.24

LED Leuchten

			
LED Streifen	Smart Lighting p.56	Zubehör p.59	Notbeleuch- tung p.61

LED Leuchtmittel

					
Entladungs- lampen p.73	CFL p.76	Leuchtmittel p.78	GU10 p.79	GU4 p.82	GU5.3 p.83


LED Bulbs

					
E27 p.89	P45 p.91	Kerzenlampen p.92	Dimtöne p.93	Reflektor p.94	Vintage p.94



Flutlichter

p.28



Außenbeleuchtung

p.33



Bulkheads

p.37



Downlights

p.42



Einbaustrahler

p.47



Schienenstrahler

p.51

LED Röhren



T9 Röhren

p.63



T5 Röhren

p.63



T8 Röhren
EM / AC

p.66



T8 Röhren
HF

p.70



T8 Röhren
UN

p.71



GY6.35

p.84



Stiftsockellampen

p.85



R7s

p.86



Ar111

p.87



B22d

p.88



Tubular
Lampen

p.88

Konventionelle Leuchtmittel



Leuchtstoffröhren

p.96



Vorschalt-
geräte für
Leuchtstoff-
röhren

p.97



Gasentla-
dungslampen

p.97



GUTE WAHL

p.98

A photograph of a modern interior space, likely a lobby or atrium, featuring a prominent glass and steel structural design. The image shows a glass railing or partition in the foreground, with a dark, polished floor and a white ceiling with recessed lighting. The background is slightly blurred, showing more of the building's interior. A blue rectangular box is overlaid on the center of the image, containing the text "LED Panels".

LED Panels

LED Panel Delta Pro V3.0

NOXION
Best in class lighting

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-15°C - 40°C	80	0.95

Art. n°	Description
UGR<19	
242012	30W 3960lm 3000K 60x60
242013	30W 4070lm 4000K 60x60
242014	30W 3960lm 3000K 30x120
242015	30W 4070lm 4000K 30x120
UGR<22	
242008	30W 3960lm 3000K 60x60
242009	30W 4070lm 4000K 60x60
242011	30W 4070lm 4000K 30x120




Noxion LED Panel Delta Pro V3.0 Highlum

NOXION
Best in class lighting

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 40°C	80	0.92

Art. n°	Description
V3.0	
239521	36W 5225lm 3000K 60x60
242018	36W 4840lm 3000K 30x120
242017	36W 5480lm 4000K 60x60
242019	40W 5480lm 4000K 30x120
V2.0	
237859	40W 5280lm 3000K 30x120



Noxion LED Panel Econox

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
50000h	7 years	20	02	-15°C - 40°C	80	0.95

Art. n°	Description
237848	32W 4400lm 4000K 30x120

Noxion LED Panel Ecowhite V2.0

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-10°C - 40°C	80	0.92

Art. n°	Description
UGR<19	
245111	36W 3600lm 3000K 60x60
241923	36W 3600lm 4000K 60x60
241925	36W 3700lm 6500K 60x60
241927	36W 3600lm 3000K 30x120
241929	36W 3600lm 4000K 30x120
241931	36W 3700lm 6500K 30x120
UGR<22	
241920	36W 3700lm 3000K 60x60
241922	36W 3800lm 4000K 60x60
241924	36W 3800lm 6500K 60x60
241926	36W 3700lm 3000K 30x120
241928	36W 3800lm 4000K 30x120
241930	36W 3800lm 6500K 30x120
Other sizes UGR<22	
242061	15W 1500lm 4000K 30x30
242062	23W 2300lm 4000K 30x60
242063	72W 7200lm 4000K 60x120

Noxion LED Panel Accessories

NOXION
Best in class lighting





Description	Highlum / Delta pro V1 & V3	Ecowhite	Econox
Surface Mounted Kit 30x120 (A)	223690	236962	238302
Surface Mounted Kit 60x60 (B)	223688	236961	238301
Surface Mounted Kit 30x30 (A)	-	239362	-
Surface Mounted Kit 30x60 (B)	-	239363	-
Surface Mounted Kit 60x120 (B)	-	239364	-
Surface Mounted Kit Fast slide 30x120 (C)	232546	-	-
Surface Mounted Kit Fast slide 60x60 (C)	232545	-	-
Suspension Kit (D)		236958	237480
Mounting Clips (E)	230519	236959	237479
Security cable 60x60 (F)	230776	236960	237481
Security cable 30x120 (F)	230777	236960	237481

Ledvance LED Panel Value


 **LEDVANCE**

L70	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	40	03	-10°C - 45°C	80	0.9

Art. n°	Description
UGR<19	
237693	36W 3600lm 3000K 60x60
237694	36W 3600lm 4000K 60x60
243681	36W 3240lm 4000K 60x60 TPB
UGR<22	
237687	36W 3600lm 3000K 60x60
237688	36W 3600lm 4000K 60x60
237689	36W 3600lm 6500K 60x60
237920	65W 5850lm 4000K 120x60 TPB



Ledvance LED Panel Performance




L70	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	20	03	-10°C - 50°C	90/80	0.95

Art. n°	Description
UGR<19 & CRI 90	
239635	30W 3150lm 4000K 60x60
239638	30W 3000lm 4000K 30x120
239636	36W 4750lm 4000K 60x60
UGR<19 & CRI 80	
239185	30W 3600lm 3000K 60x60
239186	30W 3600lm 4000K 60x60
239353	30W 3600lm 4000K 30x120
239191	36W 4320lm 3000K 60x60
239192	36W 4320lm 4000K 60x60
UGR<22 & CRI 80	
239181	25W 3000lm 3000K 60x60
239182	25W 3000lm 4000K 60x60
239183	30W 3600lm 3000K 60x60
239184	30W 3600lm 4000K 60x60
239350	33W 4000lm 4000K 30x120
239187	36W 4320lm 3000K 60x60
239188	36W 4320lm 4000K 60x60



Ledvance LED Panel Accessories



Description	Performance	Value
Surface Mounted Kit 60x60 (A)	239196	237915
Surface Mounted Kit 30x120 (B)	234219	239357
Surface Mounted Kit 60x120 (B)	-	237926
Recessed Frame Kit 60x60 (C)	237916	-
Recessed Frame Kit 30x120 (D)	239358	-
Suspension Kit 120 cm (E)	234220	234220
Security Ceiling Brackets 25mm (F)	234218	234218
Security cable 1m (G)	239692	239692
Mounting Clips (4pcs) (H)	238308	238308



Philips LED Panel Coreline RC132V

PHILIPS

L75	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	02	-10°C - 35°C	80	0.9

Art. n°	Description
RC132V - UGR<23	
246035	28,5W 3400lm 3000K 60x60
246041	28,5W 3600lm 4000K 60x60
246039	28,5W 3600lm 4000K 30x120
246031	34,5W 4300lm 4000K 60x60
RC132V - UGR<19	
246042	28,5W 3600lm 4000K 60x60
246032	34,5W 4300lm 3000/4000K 60x60




Philips LED Panel Coreline RC065B

PHILIPS

L75	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 35°C	80	0.9

Art. n°	Description
RC065B - UGR<19	
243178	34W 3400lm 3000K 60x60 (4x18W)
239952	34W 3400lm 4000K 60x60 (4x18W)
239953	34W 3400lm 6500K 60x60 (4x18W)
RC065B - UGR<22	
243177	34W 3400lm 3000K 60x60 (4x18W)
238237	34W 3400lm 4000K 60x60 (4x18W)
239951	34W 3400lm 6500K 60x60 (4x18W)




A photograph of an underground parking garage. The ceiling is dark with several long, rectangular LED light fixtures mounted on it, providing illumination. On the right side, there are vertical pillars wrapped in yellow and black diagonal hazard tape. In the background, a white car is parked in a bay, and to the left, a silver car is partially visible. The overall atmosphere is industrial and modern.

LED Feuchtraumleuchten

Noxion LED Waterproof Batten Pronox V2.0

NOXION
Best in class lighting



More information about Sensor :

- Adjustable detection area from 50% - 100%
- Hold time : 5s ~ 5min
- Stand-by time : 0s - 30s - 5min - always
- Stand-by dim level : 10% - 30%
- Daylight sensor 2 lux ~ 50lux - disable

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-20°C - 45°C	80	0.9

Art. n°	Description
241612	18W 2500lm 4000K 60cm
241613	18W 2500lm 6500K 60cm
241614	18W 2500lm 4000K 120cm
241625	18W 2500lm 6500K 120cm
241615	30W 4200lm 4000K 120cm
241616	30W 4200lm 6500K 120cm
241617	25W 3500lm 4000K 150cm
241618	25W 3500lm 6500K 150cm
241619	43W 6000lm 4000K 150cm
241620	43W 6000lm 6500K 150cm
241621	55W 7700lm 4000K 150cm
241622	55W 7700lm 6500K 150cm
241623	65W 9100lm 4000K 150cm
241624	65W 9100lm 6500K 150cm
GRP	
241363	30W 4200lm 4000K 150cm GRP
241364	48W 6720lm 4000K 150cm GRP
Sensor	
240963	43W 6000lm 4000K 150cm Sensor
240964	65W 9100lm 4000K 150cm Sensor
Emergency	
244213	18W 2500lm 4000K 60cm Emergency
244214	18W 2500lm 6500K 60cm Emergency
244226	18W 2500lm 4000K 120cm Emergency
244212	18W 2500lm 6500K 120cm Emergency
244216	30W 4200lm 4000K 120cm Emergency
244217	30W 4200lm 6500K 120cm Emergency
244218	25W 3500lm 4000K 150cm Emergency
244219	25W 3500lm 6500K 150cm Emergency
240961	43W 6000lm 4000K 150cm Emergency
244221	43W 6000lm 6500K 150cm Emergency
244222	43W 6000lm 6500K 150cm Emergency
244223	55W 7700lm 6500K 150cm Emergency
244225	65W 9100lm 6500K 150cm Emergency
240962	65W 9100lm 4000K 150cm Emergency
DALI	
240959	43W 6000lm 4000K 150cm Dali
240960	65W 9100lm 4000K 150cm Dali

Philips LED Waterproof Batten Coreline WT120C

PHILIPS



L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-20°C - 35°C	80	0.95

Art. n°	Description
204495	LED18S 15W 1900lm 840 60cm
200304	LED22S 22W 2700lm 840 120cm
Generation 2	
237324	LED31S 24,3W 3100lm 840 150cm
164059	LED34S 25W 3400lm 840 150cm
225301	LED34S 30W 3400lm 840 150cm Emergency
164007	LED40S 30W 4000lm 840 120cm
200095	LED60S 42,9W 6000lm 840 150cm
225517	LED60S 44W 6000lm 840 150cm 3x through wiring
237236	LED60S 49W 6000lm 840 150cm Emergency
235562	LED80S 57W 8000lm 840 150cm
Motion sensor MDU	
237426	LED34S 31W 3400lm 840 150cm
237310	LED34S 25W 3400lm 840 150cm

Ledvance LED Waterproof Batten Damp Proof

LEDVANCE



L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	08	-20°C - 40°C	80	0.9

Art. n°	Description
236365	9W 1080lm 840 60cm
236364	18W 2160lm 840 60cm
236360	20W 2400lm 840 120cm
236362	25W 3000lm 840 150cm
238329	34W 3700lm 840 180cm
236361	40W 4800lm 840 120cm
236363	50W 6000lm 840 150cm
238330	70W 7500lm 840 180cm

Noxion LED Waterproof Batten Ecowhite V2.0

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	10	-20°C - 40°C	80	0.9

Art. n°	Description
237732	20W 2300lm 4000K 60cm (2x18W)
237733	20W 2300lm 6500K 60cm (2x18W)
241805	24W 2800lm 4000K 120cm (1x36W)
237735	24W 2800lm 6500K 120cm (1x36W)
241807	36W 4200lm 4000K 120cm (2x36W)
241808	36W 4200lm 6500K 120cm (2x36W)
241809	36W 4200lm 4000K 150cm (1x58W)
241810	36W 4200lm 6500K 150cm (1x58W)
241811	50W 5800lm 4000K 150cm (2x58W)
241812	50W 5800lm 6500K 150cm (2x58W)



Philips LED Waterproof Batten Ledinaire WT060C

PHILIPS



L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	66	08	-20°C - 45°C	80	0.9

Art. n°	Description
238191	LED18S 15W 1800lm 840 60cm 120D
238192	LED36S 30W 3600lm 840 120cm 120D
238194	LED56S 46W 5600lm 840 150cm 120D
238196	LED56S 46W 5600lm 865 150cm 120D
PSU 1x Through Wiring	
238193	LED36S 30W 3600lm 840 120cm 120D
238195	LED56S 46W 5600lm 840 150cm 120D TW1



Ledvance LED Batten DamProof SlimValue



L70	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	08	-20°C - 40°C	80	0.9

Art. n°	Description
232761	36W 4000lm 4000K 120cm
232762	36W 4000lm 6500K 120cm
232763	50W 5500lm 4000K 150cm
232764	50W 5500lm 6500K 150cm



IP66

IK08

Noxion LED Batten Batline Connect



L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-15°C - 40°C	80	0.5

Art. n°	Description
241574	5W 450lm 3000K 30cm
241575	5W 450lm 4000K 30cm
231953	5W 450lm 6500K 30cm
241577	9W 810lm 3000K 60cm
245213	9W 810lm 4000K 60cm
241579	9W 810lm 6500K 60cm
241580	12W 1080lm 3000K 90cm
241581	12W 1080lm 4000K 90cm
245217	12W 1080lm 6500K 90cm
241583	16W 1440lm 3000K 120cm
241584	16W 1440lm 4000K 120cm
241585	16W 1440lm 6500K 120cm
241586	20W 1650lm 3000K 150cm
241587	20W 1800lm 4000K 150cm
241588	20W 1800lm 6500K 150cm



Ledvance LED Batten Linear Compact Switch



LEDVANCE

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	03	-10°C - 40°C	80	0.5



Art. n°	Description
234131	4W 400lm 3000K 30cm
234132	4W 400lm 4000K 30cm
234133	8W 800lm 3000K 60cm
234134	8W 800lm 4000K 60cm
234135	12W 1200lm 3000K 90cm
234136	12W 1200lm 4000K 90cm
234129	14W 1400lm 3000K 120cm
234130	14W 1500lm 4000K 120cm



Philips LED Batten Ledinaire BN021C

PHILIPS

L70	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	02	-20°C - 40°C	80	0.9



Art. n°	Description
243483	LED5S 5W 480lm 3000K 30cm
243484	LED5S 5W 540lm 4000K 30cm
243475	LED10S 10W 960lm 3000K 60cm
243476	LED10S 10W 1050lm 4000K 60cm
243477	LED14S 15W 1450lm 3000K 90cm
243478	LED15S 15W 1600lm 4000K 90cm
243479	LED19S 20W 1900lm 3000K 120cm
243480	LED20S 20W 2100lm 4000K 120cm
243481	LED24S 24W 2400lm 3000K 150cm
243482	LED25S 24W 2600lm 4000K 150cm



Noxion LED Waterproof Batten Housing Poseidon V2.0

NOXION
Best in class lighting



Warranty	IP	IK	°C
3 years	65	08	-15°C - 40°C

Art. n°	Description
237531	60cm for 1x18W
237532	60cm for 2x18W
237533	120cm for 1x36W
237534	120cm for 2x36W
237535	150cm for 1X58W
237536	150cm for 2x58W
Accessory	
234327	Suspension Hook (2pcs)

Ledvance LED Waterproof Batten
Damp Proof Housing

LEDVANCE



Warranty	IP	IK	°C
5 years	65	08	-30°C - 40°C

Art. n°	Description
236356	60cm for 1 tube
236357	60cm for 2 tubes
236352	120cm for 1 tube
236353	120cm for 2 tubes
236354	150cm for 1 tube
236355	150cm for 2 tubes



Noxion Batten Click LED T8

NOXION
Best in class lighting



Warranty	IP	IK	°C
3 years	20	02	-20°C - 50°C

Art. n°	Description
	1 tube
235282	1x18W 60cm
235283	1x36W 120cm
235284	1x58W 150cm
	2 tubes
235285	2x18W 60cm
235286	2x36W 120cm
235287	2x58W 150cm

Noxion Batten Click Reflector LED T8

NOXION
Best in class lighting



Warranty	IP	IK	°C
3 years	20	02	-20°C - 50°C

Art. n°	Description
	1 tube
235288	1x36W 120cm
235289	1x58W 150cm
	2 tubes
235290	2x36W 120cm
235291	2x58W 150cm






LED Lichtbandsysteme

Noxion LED Trunking NX


NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-10°C - 45°C	80	0.9

Art. n°	Description
Module	
245464	Module 8/1500 35/40/45/50W 4000K WD90
245465	Module 8/1500 55/60/65/70W 4000K WD90
245466	Module 8/1500 55/60/65/70W 4000K WD90 emergency
Accessories NX-Line for montage	
235031	Linear Light NX-Line Trunking 8/1500
235032	Linear Light NX-Line Trunking 8/1500 End Part
235033	Linear Light NX-Line Trunking 8/3000
235034	Linear Light NX-Line Trunking 8/3000 End Part
235153	Linear Light NX-Line Track Light Cover 8/1500
235154	Linear Light NX-Line Sensor Cover 8/1500
235135	Blind Cover without caps 1500
237520	Blind Cover with caps 1500
235136	Blind Cover caps
235139	End Cap
235144	Feed in Connector 8
235145	Feed in Box 8
235142	Cable Gland M20x1.5mm Ø7mm-14mm
235137	Surface Mounting Clip Ø13.5mm Hole
235131	Suspension Cord 3M
245483	Suspend Chain




Components required for one LED light line with 50% LED module utilisation



Line length (m)	A LED modules	B 3m trunks	C 3m endtrunks	D 1,5m Endtrunks	E Blind covers	F Feed-in box	G Phase end cap's	H Suspension points
1,5	1	0	0	1	0	1	1	2
4,5	2	1	0	1	1	1	1	2
7,5	3	2	0	1	2	1	1	3
10,5	4	3	0	1	3	1	1	4
13,5	5	4	0	1	4	1	1	5
16,5	6	5	0	1	5	1	1	6
19,5	7	6	0	1	6	1	1	7
22,5	8	7	0	1	7	1	1	8
25,5	9	8	0	1	8	1	1	9
28,5	10	9	0	1	9	1	1	10
31,5	11	10	0	1	10	1	1	11
34,5	12	11	0	1	11	1	1	12
37,5	13	12	0	1	12	1	1	13
40,5	14	13	0	1	13	1	1	14

Components required for one LED light line with 30% LED module utilisation



Line length (m)	A LED modules	B 3m trunks	C 3m endtrunks	D 1,5m Endtrunks	E Blind covers	F Feed-in box	G Phase end cap's	H Suspension points
1,5	1	0	0	1	0	1	1	2
6,0	2	1	1	0	2	1	1	3
10,5	3	3	0	1	4	1	1	4
15,0	4	4	1	0	6	1	1	6
19,5	5	6	0	1	8	1	1	7
24,0	6	7	1	0	10	1	1	9
28,5	7	9	0	1	12	1	1	10
33,0	8	10	1	0	14	1	1	12
37,5	9	12	0	1	16	1	1	13
42,0	10	13	1	0	18	1	1	15

Noxion LED Easytrunk

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
72000h	5 years	40	06	-	80	0.98

Art. n°	Description
236980	Noxion EasyTrunk for NLS-R36-850-90D
237488	Noxion EasyTrunk for NLS-R58-850-30D
236982	Noxion EasyTrunk for NLS-R58-850-90D
236984	Noxion EasyTrunk for NLS-T5-850-90D
236985	Noxion EasyTrunk for REGIOLX SDT-850-90D
236987	Noxion EasyTrunk for REGIOLX SMT-850-90D
236989	Noxion EasyTrunk for RIDI VLG-T5-850-90D
236991	Noxion EasyTrunk for RIDI VLG-T8-850-90D
236993	Noxion EasyTrunk for RIDI VLT5-850-90D
236995	Noxion EasyTrunk for RIDI VLT8-850-90D
236997	Noxion EasyTrunk for Siteco-DUS-850-90D
236999	Noxion EasyTrunk for Siteco-mod-850-90D
237001	Noxion EasyTrunk for TRILUX T5E-850-90D
237771	Noxion EasyTrunk for TMX204 T8-58W-850-90D
237005	Noxion EasyTrunk for TTX200-36W-850-90D
237007	Noxion EasyTrunk for TTX200-58W-850-90D
237009	Noxion EasyTrunk for TTX400-36W-850-90D
237010	Noxion EasyTrunk for TTX400-T5-850-90D
237012	Noxion EasyTrunk for TTX400-T8-850-90D
237021	Noxion EasyTrunk for VEKO PNR New-850-90D
237020	Noxion EasyTrunk for ZUM tecton-850-90D
237014	Noxion EasyTrunk for ZUM-ZX1-850-90D
237016	Noxion EasyTrunk for ZUM-ZX2-T5-850-90D
237018	Noxion EasyTrunk for ZUM-ZX2-T8-850-90D

3 steps to install EasyTrunk



1

Unclip the old light fixture



2

Clip on the new one



3

Test and turn on



LED Hallenleuchten

Noxion LED Highbay Ecowhite

NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-40°C - 50°C	80	0.95

Art. n°	Description
241836	100W 4000K 13000lm 90D
241837	100W 4000K 13000lm 120D
241838	200W 4000K 26000lm 90D
241839	200W 4000K 26000lm 120D



Noxion LED Highbay Concord G3

NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 50°C	80	0.93

Art. n°	Description
241643	100 / 120 / 150 / 200W 13000/15600/19500/26000lm 3000K 90D
241641	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 4000K 90D
241644	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 3000K 120D
241642	100 / 120 / 150 / 200W 15000/18000/22500/30000lm 4000K 120D



Noxion LED Highbay Pro-Clean

NOXION
Best in class lighting


L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 50°C	80	0.93

Art. n°	Description
1-10V	
224609	150W 4000K 18050lm 90D 1-10V Dim
242319	200W 4000K 24000lm 90D 1-10V Dim
244927	200W 4000K 24000lm 90D 1-10V Dim SS



Accessories for Highbay Concord G3 / Pro-clean

NOXION
Best in class lighting



Art. n°	Description	Model
Accessories for Concord G3		
239541	60° circular D315 Plastic Cover lens	A
239542	PC diffuser with cover	B
239543	90° aluminium reflector	C
239544	65° aluminium reflector	D
239545	Daylight sensor including bracket holder	E
239547	Bracket holder for ceiling mounted	F
Accessories for Ecowhite		
244732	Remote controller of microwave sensor	G
241840	Surface Mounting Bracket	H
244733	Motion detector	

Noxion LED Highbay Pro Linea

NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
100000h	5 years	65	10	-30°C - 50°C	80	0.93

Art. n°	Description
1-10V	
231906	120-250W 14400lm 4000K 60Dx90D 1-10V
231908	150-250W 18000lm 4000K 60Dx90D 1-10V



Philips LED Highbay Coreline

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 45°C	80	0.9

Art. n°	Description
BY120P	
235648	LED100S PSU WB 69-250W 10000lm 4000K 90°
235650	LED100S PSU WB 69-250W 10000lm 6500K 90°
BY121P	
235655	LED200S PSU NB 150-400W 20000lm 6500K 55°
235654	LED200S PSU WB 150-400W 20000lm 4000K 90°
BY122P	
235659	LED250S PSU NB 172-500W 25000lm 4000K 55°
243492	LED250S PSU NB 172-500W 25000lm 6500K 55°
243493	LED250S PSU WB 172-500W 25000lm 6500K 90°

Ledvance LED Highbay Gen 4

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-30°C - 45°C	80	0.9

Art. n°	Description
244759	87W 13000lm 4000K 70°
244758	87W 13000lm 4000K 110°
244766	87W 13000lm 6500K 70°
244765	87W 13000lm 6500K 110°
244761	147W 22000lm 4000K 70°
244760	147W 22000lm 4000K 110°
244767	147W 22000lm 6500K 110°
244763	190W 27000lm 4000K 70°
244762	190W 27000lm 4000K 110°
244768	190W 27000lm 6500K 70°
244764	210W 30000lm 4000K 70°
244769	210W 30000lm 6500K 70°
GEN 4 with sensor	
243772	87W 13000lm 4000K 110°
243770	147W 22000lm 4000K 70°
243769	147W 22000lm 4000K 110°
243771	190W 27000lm 4000K 110°
243778	Sensor for Gen 4
243779	Remote control Gen 4

PHILIPS



BY120P



BY121P



BY122P



IP65

IK08



LEDVANCE



Standard



with sensor



IP65

IK08



A photograph of a modern, multi-story building at night. The building has a light-colored, horizontally-paneled facade. Several LED floodlights are mounted on the exterior walls, casting bright, conical beams of light onto the building's surface and the ground. The building has large windows and a balcony area on the upper floor. A dark car is parked in the foreground on the right side. The sky is dark blue.

LED Flutlichter

Noxion LED Floodlight Beamy G2

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	07	-20°C - 40°C	80	0.9

Art. n°	Description
239732	10-60W 1100lm 4000K
239733	20-120W 2000lm 3000K
239734	20-120W 2100lm 4000K
241654	30-180W 3000lm 3000K
Sensor	
241659	10-60W 1100lm 4000K
241660	20-120W 2000lm 3000K
239744	30-180W 3100lm 4000K
241664	50-300W 5000lm 3000K



239731



239739

IP65



Noxion LED Floodlight Beamy V2.0

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	65	05	-20°C - 40°C	80	0.9

Art. n°	Description
242082	30-180W 2550lm 4000K
242083	50-300W 4500lm 3000K
242084	50-300W 4500lm 4000K
Sensor	
239549	10-60W 900lm 3000K
239564	10-60W 900lm 4000K
239551	20-120W 1800lm 3000K
239565	20-120W 2000lm 4000K
239567	30-180W 2550lm 4000K
242085	50-300W 4500lm 4000K



239550



239549

IP65



Ledvance LED Floodlight Performance

L80	Warranty	IP	IK	°C	CRI	PF
55000h	5 years	65	07	-30°C - 50°C	80	0.9

Art. n°	Description
Black	
239586	10W 1100lm 3000K
239587	10W 1200lm 4000K
239589	10W 1200lm 6500K
239591	20W 2200lm 3000K
239569	20W 2400lm 4000K
239594	20W 2400lm 6500K
239576	30W 3300lm 3000K
239597	30W 3600lm 4000K
239598	30W 3600lm 6500K
239600	50W 5500lm 3000K
239602	50W 6000lm 4000K
239526	50W 6000lm 6500K
White	
239561	10W 1100lm 3000K
239588	10W 1200lm 4000K
239590	10W 1200lm 6500K
239592	20W 2200lm 3000K
239593	20W 2400lm 4000K
239595	20W 2400lm 6500K
239596	30W 3300lm 3000K
239577	30W 3600lm 4000K
239599	30W 3600lm 6500K
239601	50W 5500lm 3000K
239603	50W 6000lm 4000K
239571	50W 6000lm 6500K
Sensor black	
239229	10W 1100lm 3000K
239231	10W 1200lm 4000K
239233	20W 2200lm 3000K
239235	20W 2400lm 4000K
239237	50W 5500lm 3000K
239239	50W 6000lm 4000K
Sensor white	
239230	10W 1100lm 3000K
239232	10W 1200lm 4000K
239234	20W 2200lm 3000K
239236	20W 2400lm 4000K
239238	50W 5500lm 3000K
239240	50W 6000lm 4000K



239586



239229



239561



239230



Noxion Floodlight LED Beam

L80	Warranty	IP	IK	°C	CRI	PF
70000h	5 years	66	08	-30°C - 40°C	80	0.95

Art. n°	Description
241763	40W 4000lm 4000K Asym
224638	40W 4000lm 4000K Sym
241770	80W 8000lm 3000K Asym
223666	80W 8000lm 4000K Asym
224639	80W 8000lm 4000K Sym
231921	120W 12000lm 3000K Asym
231924	120W 12000lm 3000K Sym
241765	120W 12000lm 4000K Asym
241768	120W 12000lm 4000K Sym

Probeam

241866	133W 15000lm 3000K Asym
241669	133W 16000lm 4000K Asym
241867	170W 20000lm 3000K Asym
241670	170W 21000lm 4000K Asym
241868	210W 25000lm 3000K Asym
241671	210W 26000lm 4000K Asym

NOXION
Best in class lighting



Sylvania LED Streetlight Zephyr Large

L70	Warranty	IP	IK	°C	CRI	PF
90000h	5 years	66	08	-20°C - 45°C	70	0.95

Art. n°	Description
246054	46W 5500lm 4000K
235549	80W 9600lm 4000K

SYLVANIA



Ledvance LED Floodlight PFM Gen 3 Symmetrical

L80	Warranty	IP	IK	°C	CRI	PF
55000h	5 years	65	08	-30°C - 50°C	80	0.9

Art. n°	Description
239198	65W 7150lm 3000K
239199	65W 8000lm 4000K
239200	65W 8000lm 6500K
239201	80W 8800lm 3000K
239202	80W 10000lm 4000K
239203	80W 10000lm 6500K
239204	125W 13750lm 3000K
239205	125W 15000lm 4000K
239206	125W 15000lm 6500K
239207	165W 18150lm 3000K
239208	165W 20000lm 4000K
239209	165W 20000lm 6500K
239210	200W 22000lm 3000K
239211	200W 25000lm 4000K
239212	200W 25000lm 6500K

 LEDVANCE



Ledvance LED Floodlight Eco Area

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	66	08	-30°C - 50°C	80	0.9

Art. n°	Description
243780	45W 5400lm 4000K
239609	45W 5400lm 6500K
239610	60W 7130lm 3000K
239611	60W 7200lm 4000K
239612	60W 7200lm 6500K

 LEDVANCE



A modern house exterior featuring a large wooden door with a warm, golden light emanating from within. The door is set into a dark, textured wall. To the left of the door is a small potted tree in a white pot. To the right is a white wall with a vertical, rectangular outdoor light fixture. The foreground shows a concrete walkway and a patch of green grass.

Außenbeleuchtung



Art. n°	Description	LxWxH	Lifetime hrs	Model
Lantern				
232743	Facade Lantern 12W 3000K 610lm Grey IP54 210°	176x110x240	30000 h	A
Wide				
243632	Wide 12W 3000K 530lm Grey IP44	86x210x90	15000 h	B
243633	Wide 12W 3000K 530lm White IP44	86x210x90	15000 h	B
Endura Up & Down				
243620	Endura Up & Down 12W 3000K 700lm Grey IP44	55x90	30000 h	C
243621	Endura Up & Down 12W 3000K 700lm Black IP44	55x90	30000 h	C
243622	Endura Up & Down 12W 3000K 700lm White IP44	55x90	30000 h	C
Pro Up & Down				
237943	Pro Up & Down 10W 4000K 1000lm White IP55 Sensor	87x55x180	50000 h	D
237944	Pro Up & Down 10W 4000K 1000lm Grey IP55 Sensor	87x55x180	50000 h	D
Endura Style Flex				
243625	Endura Flex Up & Down 13W 3000K 700lm Grey IP44	94x65	30000 h	E
Garden flood				
243578	Spike 10W 3000K 800lm Black IP65	44x108	25 000 h	F
243579	Spike 20W 3000K 1700lm Black IP65	44x133	25 000 h	F
Bollard Cylinder				
243587	Bollard 6W 3000K 360lm Steel IP44	100x102x550	-	G
243588	Bollard 6W 3000K 360lm Steel IP44	100x102x1000	-	G
Bollard Endura Pyramid				
243610	Bollard 9W 3000K 600lm Steel IP44	100x100x500	25 000 h	H
243611	Bollard 9W 3000K 600lm Steel IP44	100x100x800	25 000 h	H



A



B



C



D



E



F



G



H



I



J



K



L

Art. n°	Description	Type of lights	LxWxH	Model
Wallmounted				
243047	Tube - Black - IP44	E27	129x90x197	A
243035	Tube - Amber - IP44	E27	129x90x197	A
243041	Cascade - Clear - IP44	E27	160x120x180	B
243038	Cascade - Amber - IP44	E27	160x120x180	B
243536	Endura Classic - Black - IP23	E27	105x150x293	C
243537	Endura Classic - Black - IP23	E27	105x150x225	C
243044	Cadre - Cler - IP44	E27	140x110x245	D
243048	Cannon Up - Black - IP44	GU10	90x75x120	E
243049	Cannon Up & Down - Black - IP44	GU10	105x75x180	E
237942	Lantern - Black - IP43	E27	210x118x212	F
237941	Lantern - White - IP43	E27	210x118x212	F
237940	Lantern - Wood - IP43	E27	210x118x212	F
243051	Applique - Black - IP44	GU10	104x92x146	G
243050	Wallmounted Beam Gap - Black - IP44	GU10	104x92x163	G
243053	Wallmounted Up & Down - Black - IP44	GU10	104x92x200	H
243052	Wallmounted Up & Down Beam Gap - Grey - IP44	GU10	104x92x233	H
BorneBeam				
243036	Tube 50cm - Amber - IP44	E27	Ø135	I
243037	Tube 80cm - Amber - IP44	E27	Ø135	I
243042	Cascade 50cm - Clear - IP44	E27	200x160x500	J
243039	Cascade 50cm - Amber - IP44	E27	200x160x500	J
243043	Cascade 80cm - Clear - IP44	E27	200x160x500	J
243040	Cascade 80cm - Amber - IP44	E27	200x160x500	J
243045	Cadre - 60cm - Clear - IP44	E27	110x110x600	K
243046	Cadre - 80cm - Clear - IP44	E27	110x110x800	K
243539	Borne 80cm - Clear - IP44	E27	Ø127	L

Steinel Floodlight LED XLED Solar

steinel

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	-	-	80	0.95



L-S



SOL-O




Art. n°	Description
XSolar L-S	
219744	1,2W 150lm 4000K Sensor White
219892	1,2W 150lm 4000K Sensor Silver
XSolar SOL-O	
234352	1,5W 140lm 3000K Sensor Coal
234351	1,5W 140lm 3000K S Coal
234350	1,5W 140lm 3000K Sensor Infrared 360° Coal
234349	1,5W 140lm 3000K Sensor Infrared 360° Coal

Paulmann Solar LED lighting

Paulmann



A



B



C



D



E



Art. n°	Description	LxWxH	Lifetime hrs	Model
Elliot wall lamp (A)				
240678	0,05W 5lm 3000K IP44 Sensor Twilight	100x80x53	10 000 h	A
Elliot wall lamp (B)				
240679	0,05W 4lm 3000K IP44 Sensor Twilight	100x80x20	10 000 h	B
LED Spike UFO (C)				
240674	55cm - 0,2W 3lm 3000K IP44	Ø150	-	C
LED Bollard Ryse (D)				
240687	80cm - 1,2W 145lm 3000K IP44	154x194	30 000 h	D
LED Recessed Box EBL (E)				
240676	0,24W 3,6lm 2700K IP67	100x100x45	15 000 h	E

A photograph of a modern hallway. The walls are painted a textured blue. A large, circular, white LED bulkhead light is mounted on the wall, casting a bright glow. To the left, a wooden door is partially open, revealing a white wall and a doorway in the background. To the right, another wooden door is visible. The floor is a light-colored, polished material. A wooden baseboard runs along the bottom of the blue wall. A white electrical outlet is visible on the blue wall near the baseboard. A blue rectangular banner with white text is overlaid in the center of the image.

LED Bulkheads

Noxion LED Bulkhead Pro

NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	66	10	-20°C - 40°C	80	0.95

Art. n°	Description
241962	13W 1400lm 2700/3000/4000K Ø300mm
241365	20W 2000lm 2700/3000/4000K Ø300mm
With Corridor Sensor	
241963	13W 1400lm 2700/3000/4000K Ø300mm
241366	20W 2000lm 2700/3000/4000K Ø300mm
With EM3HR	
241964	13W 1400lm 2700/3000/4000K Ø300mm
241367	20W 2000lm 2700/3000/4000K Ø300mm
With Corridor Sensor + EM3HR	
241965	13W 1400lm 2700/3000/4000K Ø300mm
241368	20W 2000lm 2700/3000/4000K Ø300mm



Noxion LED Bulkhead Corido

NOXION
Best in class lighting

L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	44	02	-25°C - 45°C	80	0.9

Art. n°	Description
241912	18W 1386lm 3000K Ø360mm
241913	18W 1530lm 4000K Ø360mm
241916	22W 1760lm 3000K Ø410mm
241917	22W 1980lm 4000K Ø410mm
With Corridor Sensor	
241914	18W 1386lm 3000K Ø360mm
241915	18W 1530lm 4000K Ø360mm
241918	22W 1760lm 3000K Ø410mm
241919	22W 1980lm 4000K Ø410mm
With EM3HR	
245474	18W 1530lm 4000K Ø360mm
245476	22W 1760lm 3000K Ø410mm
245477	22W 1980lm 4000K Ø410mm
With Corridor Sensor + EM3HR	
245475	18W 1386lm 3000K Ø360mm
245024	18W 1530lm 4000K Ø360mm
245226	22W 1760lm 3000K Ø410mm
245020	22W 1980lm 4000K Ø410mm



Philips LED Bulkhead Coreline WL060

L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	44	03	-20°C - 40°C	80	0.9

Art. n°	Description
236111	12W 1100lm 3000K Ø285mm
236112	12W 1100lm 4000K Ø285mm
236113	18,5W 1700lm 3000K Ø345mm
236115	18,5W 1700lm 4000K Ø345mm
With sensor	
236114	19,5W 1700lm 3000K Ø345mm
236116	19,5W 1700lm 4000K Ø345mm

PHILIPS



Philips LED Bulkhead Coreline WL130 & WL131

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	65	08	-25°C - 45°C	80	0.9

Art. n°	Description
WL130	
243326	12W 1200lm 3000K Ø390mm
243332	12W 1200lm 4000K Ø390mm
243340	22W 2000lm 3000K Ø390mm
243349	22W 2000lm 4000K Ø390mm
243339	23W 2000lm 3000K sensor Ø390mm
243348	23W 2000lm 4000K sensor Ø390mm
WL131	
233790	15W 1200lm 3000K sensor Ø350mm
233792	15W 1200lm 4000K sensor Ø350mm
233794	25W 2000lm 3000K sensor Ø350mm
233796	25W 2000lm 4000K sensor Ø350mm
233797	36W 3400lm 3000K Ø480mm
233799	36W 3400lm 4000K Ø480mm
233798	38W 3400lm 4000K sensor Ø480mm

NOXION
Best in class lighting



Ledvance Surface Circular



L80	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	44	03	-20°C - 40°C	80	0.9

Art. n°	Description
Standard	
243726	13W 920lm 3000K Ø250mm
243727	13W 960lm 4000K Ø250mm
243730	18W 1440lm 3000K Ø350mm
243731	18W 1440lm 4000K Ø350mm
243734	24W 1920lm 3000K Ø400mm
243735	24W 1920lm 4000K Ø400mm
With sensor	
243724	13W 920lm 3000K Ø250mm
243725	13W 960lm 4000K Ø250mm
243728	18W 1440lm 3000K Ø350mm
243729	18W 1440lm 4000K Ø350mm
243732	24W 1920lm 3000K Ø400mm
243733	24W 1920lm 4000K Ø400mm



Ledvance Surface Circular IP65



L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	66	10	-20°C - 40°C	80	0.95

Art. n°	Description
Standard Black	
243692	10W 800lm 3000K Ø250mm
243700	15W 1400lm 3000K Ø300mm
243704	15W 1400lm 4000K Ø300mm
Black with sensor	
243708	10W 800lm 3000K Ø250mm
243712	10W 800lm 4000K Ø250mm
243716	15W 1400lm 3000K Ø300mm
243720	15W 1400lm 4000K Ø300mm
Eyelid	
237899	Ø250mm Black
237901	Ø300mm Black
Ring	
237903	Ø250mm Black
237905	Ø300mm Black



Black



White



Eyelid



Eyelid



Ring



Ring



Available in white version

Noxion Porch Fixture

NOXION
Best in class lighting



245012



245467

IP65

IK10

3H



L80	Warranty	IP	IK	°C	CRI	PF
50000h	4 years	65	10	-20°C - 40°C	80	0.80

Art. n°	Description
245012	5W 660lm 3000K 280x140mm White
245014	5W 660lm 3000K 280x140mm Black
245044	5W 660lm 3000K 280x140mm White Sensor
245046	5W 660lm 3000K 280x140mm Black Sensor
245467	8.5W 500lm 6500K 352x110mm White Emergency 3h

Philips LED Bulkhead Coreline WL055V

PHILIPS



IP66


IK08

3H



L80	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	65	08	-20°C - 35°C	80	0.9

Art. n°	Description
Standard	
238240	8W 600lm 3000K 374x150mm
238243	8W 630lm 4000K 374x150mm
Sensor	
238239	8W 600lm 3000K 374x150mm sensor
238242	8W 630lm 4000K 374x150mm sensor
Emergency	
238241	8W 630lm 4000K 374x150mm Emergency



A modern office interior featuring a long glass conference table with red chairs. The ceiling is white with several circular LED downlights and a smoke detector. A blue banner with white text is overlaid in the center. The background shows glass partitions and a framed picture on the wall.

LED Downlights

Noxion LED Downlight Apollo

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
70000h	5 years	44	02	-20°C - 50°C	80	0.9

Art. n°	Description
243077	9W 1100lm 3000K 60D Ø120mm Frame Ø145mm
243079	9W 1200lm 4000K 60D Ø120mm Frame Ø145mm
243081	20W 2400lm 3000K 60D Ø200mm Frame Ø220mm
243083	20W 2600lm 4000K 60D Ø200mm Frame Ø220mm
With ALU reflector	
243078	9W 1000lm 3000K 60D Ø120mm Frame Ø145mm
243080	9W 1100lm 4000K 60D Ø120mm Frame Ø145mm
243082	20W 2300lm 3000K 60D Ø200mm Frame Ø220mm
243084	20W 2500lm 4000K 60D Ø200mm Frame Ø220mm
Accessories	
243085	Ring Ø120mm Frame Ø167mm
243086	Ring Ø200mm Frame Ø240mm
243087	Driver DALI 20W

Noxion LED Downlight Slim V2.0

NOXION
Best in class lighting



L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	03	-20°C - 50°C	80	0.9

Art. n°	Description
238898	12W 1200lm 3000K Ø150mm
238899	12W 1200lm 4000K Ø150mm
245015	18W 1530lm 3000/4000/6000K Ø217mm
238900	20W 2000lm 3000K Ø200mm
238901	20W 2000lm 4000K Ø200mm
238902	24W 2400lm 3000K Ø200mm
238903	24W 2400lm 4000K Ø200mm
Accessories	
245016	Round ring Black
245017	Round ring Polished Chrome
245018	Round ring Satin Nickel

Philips LED Downlight DN140B

PHILIPS

L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20/54	02	-20°C - 40°C	80	0.9

Art. n°	Description
IP20	
234583	9.5W 1100lm 3000K Ø162mm
234593	9.5W 1100lm 4000K Ø162mm
234603	19W 2200lm 3000K Ø216mm
234612	19W 2200lm 4000K Ø216mm
234581	9.5W 1100lm 3000K Reflector alu Ø162mm
234591	9.5W 1100lm 4000K Reflector alu Ø162mm
234601	19W 2200lm 3000K Reflector alu Ø216mm
234610	19W 2200lm 4000K Reflector alu Ø216mm
IP54	
234582	9.5W 1100lm 3000K Ø162mm
234592	9.5W 1100lm 4000K Ø162mm
234602	19W 2200lm 3000K Ø216mm
234611	19W 2200lm 4000K Ø216mm
234580	9.5W 1100lm 3000K Reflector alu Ø162mm
234590	9.5W 1100lm 4000K Reflector alu Ø162mm
234361	19W 2200lm 4000K Reflector alu Ø216mm



Philips LED Downlight DN065B

PHILIPS

L80	Warranty	IP	IK	°C	CRI	PF
35000h	3 years	20	03	-20°C - 40°C	80	0.9

Art. n°	Description
243154	11W 1000lm 3000K Ø175mm
243155	11W 1000lm 4000K Ø175mm
243156	11W 1000lm 4000K Ø175mm
243157	20W 2000lm 3000K Ø225mm
243158	20W 2000lm 4000K Ø225mm
243159	20W 2000lm 4000K Ø225mm



Ledvance LED Downlight Slim DN150/200



L70	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	44	02	-20°C - 35°C	80	0.5

Art. n°	Description
233336	14W 1190lm 3000K Ø160mm
233337	14W 1260lm 4000K Ø160mm
233339	25W 2250lm 3000K Ø215mm
233340	25W 2370lm 4000K Ø215mm
233341	25W 2370lm 6500K Ø215mm
233342	35W 2975lm 3000K Ø215mm
233343	35W 3150lm 4000K Ø215mm
233344	35W 3150lm 6500K Ø215mm

Ledvance LED Downlight Slim DN105/155/210



L65	Warranty	IP	IK	°C	CRI	PF
30000h	3 years	20	03	0°C - 40°C	80	0.5

Art. n°	Description
233360	6W 430lm 3000K Ø118mm Circular
233361	6W 430lm 4000K Ø118mm Circular
233362	6W 430lm 6500K Ø118mm Circular
233363	12W 1020lm 3000K Ø169mm Circular
233364	12W 1020lm 4000K Ø169mm Circular
233365	12W 1020lm 6500K Ø169mm Circular
233366	18W 1530lm 3000K Ø225mm Circular
233367	18W 1530lm 4000K Ø225mm Circular
233369	Ring for Downlight 6W
233370	Ring for Downlight 12W
233371	Ring for Downlight 18W

Available in square format

Noxion LED Downlight Forza

NOXION
Best in class lighting


L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95

Art. n°	Description
245302	35W 3000lm 930 36D White
230793	35W 3300lm 940 36D White
242005	35W 3000lm 930 36D Black
242006	35W 3300lm 940 36D Black
242007	35W 3000lm 930 36D Grey



A modern living room interior featuring a large beige sectional sofa with two grey patterned pillows. A small round metal side table sits on a grey shag rug. Large floor-to-ceiling windows offer a view of a modern building and lush greenery. The ceiling is white with several recessed LED lights. In the background, a dining area with a white brick wall and dark wood cabinetry is visible.


LED Einbaustrahler



Art. n°	Model	Description	Tilttable	Cut	LxW or Ø
220658	A	Boxi White IP20	40°	80mm	92mmx92mm
220657	A	Boxi Aluminium IP20	40°	80mm	92mmx92mm
232027	A	Boxi Black IP20	40°	80mm	92mmx92mm
220652	B	Drome White IP20	40°	69mm	Ø82mm
220651	B	Drome Aluminium IP20	40°	69mm	Ø82mm
232025	B	Drome Black IP20	40°	69mm	Ø82mm
220655	C	Logic White IP20	40°	80mm	Ø92mm
220654	C	Logic Aluminium IP20	40°	80mm	Ø92mm
232026	C	Logic Black IP20	40°	80mm	Ø92mm
220649	D	Vision White IP20	40°	69mm	Ø82mm
220648	D	Vision Aluminium IP20	40°	69mm	Ø82mm
232024	D	Vision Black IP20	40°	69mm	Ø82mm
220642	E	Square White IP20	40°	70mm	82mmx82mm
220646	F	D-Flex White IP20	40°	70mm	80mmx80mm
220640	G	Flox White IP20	40°	70mm	Ø82mm
232022	G	Flox Black IP20	40°	70mm	Ø82mm
220644	H	D-Round White IP20	-	70mm	Ø82mm
232023	H	D-Round Black IP20	-	70mm	Ø82mm
220645	I	Deep White IP20	-	70mm	82mmx82mm
220638	J	Fix White IP20	-	70mm	Ø82mm
232021	J	Fix Black IP20	-	70mm	Ø82mm
220647	K	Rondo White IP20	-	70mm	Ø90mm

Noxion Recessed Spot

NOXION
Best in class lighting



Art. n°	Model	Description	Tilttable	Cut	Ø
223726	A	Starlight White IP54 - 400lm - 2700K	-	Ø72mm	Ø85mm
224361	A	Starlight Aluminium IP54 - 400lm - 2700K	-	Ø72mm	Ø85mm
241988	B	Ember White IP65 - 400lm - 2700K	-	Ø70mm	Ø80mm
241611	B	Ember Aluminium IP65 - 400lm - 2700K	-	Ø70mm	Ø80mm
244603	C	H2O White IP65 - 400lm - 2700K	-	Ø70mm	Ø85mm
224366	C	H2O Aluminium IP65 - 400lm - 2700K	-	Ø70mm	Ø85mm
223723	D	Gimax White IP44 - 400lm - 2700K	-	Ø74mm	Ø80mm
224358	D	Gimax Aluminium IP44 - 400lm - 2700K	-	Ø74mm	Ø80mm
223725	E	Gimba White IP44 - 400lm - 2700K	-	Ø74mm	Ø80mm
224360	E	Gimba Aluminium IP44 - 400lm - 2700K	-	Ø74mm	Ø80mm
241984	F	Leda White IP44 - 400lm - 2700K	-	Ø83mm	Ø90mm
224359	F	Leda Aluminium IP44 - 400lm - 2700K	-	Ø83mm	Ø90mm
241987	G	Droplet White IP44 - 400lm - 2700K	30°	Ø85mm	Ø100mm
224362	G	Droplet Aluminum IP44 - 400lm - 2700K	30°	Ø85mm	Ø100mm
241981	H	Diamond White IP44 - 400lm - 2700K	30°	Ø83mm	Ø90mm
241992	H	Diamond Aluminium IP44 - 400lm - 2700K	30°	Ø35mm	Ø90mm
241989	I	Hydro White IP65 Fireproof - 400lm - 2700K	30°	Ø83mm	Ø95mm
224364	I	Hydro Aluminium IP65 Fireproof - 400lm - 2700K	30°	Ø35mm	Ø95mm
241990	J	Aqua White IP65 Fireproof - 400lm - 2700K	30°	Ø92mm	Ø100mm
242001	J	Aqua Aluminium IP65 Fireproof - 400lm - 2700K	30°	Ø92mm	Ø100mm
245688	K	Slim White IP54 - 600lm - 2700K - Dim	60°	Ø75mm	Ø85mm
245689	K	Slim Black IP54 - 600lm - 2700K - Dim	60°	Ø75mm	Ø85mm
245690	K	Slim Silver IP54 - 600lm - 2700K - Dim	60°	Ø75mm	Ø85mm
244924	K	Slim White IP54 - 600lm - 3000K - Dim	60°	Ø75mm	Ø85mm
244925	K	Slim Black IP54 - 600lm - 3000K - Dim	60°	Ø75mm	Ø85mm
244926	K	Slim Silver IP54 - 600lm - 3000K - Dim	60°	Ø75mm	Ø85mm
245682	K	Slim White IP54 - 600lm - 4000K - Dim	60°	Ø75mm	Ø85mm
245683	K	Slim Black IP54 - 600lm - 4000K - Dim	60°	Ø75mm	Ø85mm
245684	K	Slim Silver IP54 - 600lm - 4000K - Dim	60°	Ø75mm	Ø85mm
245685	K	Slim White IP54 - 600lm - 2000/3000K - Dim-to-warm	60°	Ø75mm	Ø85mm
245686	K	Slim Black IP54 - 600lm - 2000/3000K - Dim-to-warm	60°	Ø75mm	Ø85mm
245687	K	Slim Silver IP54 - 600lm - 2000/3000K - Dim-to-warm	60°	Ø75mm	Ø85mm

Ledvance LED Spot IP20 tiltable



L70	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	20	06	-20°C - 45°C	80	-

Art. n°	Description
234267	4,5W 360lm 3000K White Ø68mm
234268	6,5W 550lm 3000K White Ø68mm
234265	8W 660lm 3000K White Ø83mm
234266	8W 720lm 4000K White Ø83mm

Ledvance LED Spot Fireproof



L70	Warranty	IP	IK	°C	CRI	PF
50000h	3 years	44	06	-20°C - 45°C	80	0.9

Art. n°	Description
234270	8W 620lm 3000K 36D White Ø68mm Dim
234272	8W 670lm 4000K 36D White Ø68mm Dim
234269	8W 620lm 3000K 36D Silver Ø68mm Dim
234271	8W 670lm 4000K 36D Silver Ø68mm Dim

Sylvania LED Spot



Obico



Start Eco



L70	Warranty	IP	IK	°C	CRI	PF
-	-	65/44	03	-20°C - 40°C	80	-

Art. n°	Description
Obico (5 years warranty)	
245100	8.5W 740lm 3000K-4000K 38D IP65 White Fireproof
Start Eco (3 years warranty)	
245101	5W 420lm 3000K 38D IP44 White Fireproof
245102	5W 480lm 4000K 38D IP44 White Fireproof



LED Schienenstrahler

Noxion LED Tracklight Spot Accento

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95

Art. n°	Description
241972	35W 3100lm 930 36D White
245314	35W 3300lm 940 36D White
245315	35W 3100lm 930 36D Black
230807	35W 3300lm 940 36D Black
241976	35W 3100lm 930 36D Grey



White

NOXION
best in class lighting



Black



Grey



Noxion LED Tracklight Spot Stella

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	02	-20°C - 40°C	90	0.95

Art. n°	Description
244360	24W 1969lm 930 15D White
244359	24W 2024lm 930 36D White
241978	24W 1978lm 930 50D White
245307	35W 2900lm 930 36D White
241967	35W 3200lm 940 36D White
245309	35W 2900lm 930 36D Black
241969	35W 3200lm 940 36D Black
241970	35W 2900lm 930 36D Grey
241971	35W 3200lm 940 36D Grey



White

NOXION
best in class lighting



Black



Grey



Noxion LED Tracklight Spot Trixie

L80	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	06	-20°C - 40°C	90	0.95

Art. n°	Description
244357	30W 1760lm / 1980lm / 2035lm CCT 36D White
244356	30W 1760lm / 1980lm / 2035lm CCT 36D Black
244358	30W 1760lm / 1980lm / 2035lm CCT 36D Grey



White




Black




Grey





Description	White	Black	Aluminium	Model
3 phase railsystem - 1m	138011	138014	138012	A
3 phase railsystem - 2m	138013	138017	138015	A
3 phase end feed earth right	138064	138065	138234	B
3 phase end feed earth left	138066	138067	138235	B
3 phase straight connector electric	138032	138033	-	C
3 phase straight connector mechanic V/I	138249	138035	-	C
3 phase end cap V	138082	138083	138233	D
3 phase corner connector 90° V earth extern	138072	138073	138237	E
3 phase corner connector 90° V earth intern	138070	138071	138236	E
3 phase flexible corner connector V	138094	138081	138238	F
3 phase middle feed V	138068	138069	150570	G
3 phase X-connector V	156083	138027	151159	H
3 phase T-connector V earth right	138078	138075	138074	I
3 phase T-connector V earth left	150777	138077	138084	I
3 phase Universal Adaptor Track System		138222		J
Suspension kit 2m (plate 120cm)		207761		K
Suspension kit 2m (plate 60cm)		138061		K

Example of mounting



1. 90° Extern (E)



2. 90° Intern (E)



3. End / feed Right (B)



4. End / feed Left (B)



5. T - Right (I)



6. T - Left (I)



7. - X (H)



End / feed



End / feed

A modern interior space with teal-colored walls and concrete steps. A blue rectangular box with rounded corners is centered in the image, containing the text "LED Streifen" in white. The background shows a staircase with concrete steps and a teal wall, with a warm orange light source visible on the right side.


LED Streifen

Noxion Strip LED

L90	Warranty	IP	IK	°C	CRI	PF
50000h	5 years	20	-	-25°C - 40°C	90	0.95

Art. n°	Description
240904	60W 980lm 927 5M
241847	60W 980lm 927 5M + Driver + Cable
240905	60W 1030lm 930 5M
241848	60W 1030lm 930 5M + Driver + Cable
240906	60W 1120lm 940 5M
241849	60W 1120lm 940 5M + Driver + Cable
240907	60W 1100lm 960 5M
241850	60W 1100lm 960 5M + Driver + Cable
240912	75W 1428lm 927 5M COB
241855	75W 1428lm 927 5M COB + Driver + Cable
240914	75W 1646lm 940 5M COB
241857	75W 1646lm 940 5M COB + Driver + Cable
240915	75W 1635lm 960 5M COB
241858	75W 1635lm 960 5M COB + Driver + Cable
240908	120W 2060lm 927 5M
241851	120W 2060lm 927 5M + Driver + Cable
240909	120W 2080lm 930 5M
241852	120W 2080lm 930 5M + Driver + Cable
240910	120W 2280lm 940 5M
241853	120W 2280lm 940 5M + Driver + Cable
240911	120W 2230lm 960 5M
241854	120W 2230lm 960 5M + Driver + Cable
Accessories	
240957	Cable open wire female+male plug
241842	Extender flexible corner cable 2pin
241841	Extender fixed 2pin
240920	Controller M1+M3-3A RF
240921	Alu profile 1M/PCB width 12mm recessed mounting
240922	Alu profile 1M/PCB width 10mm surface mounting corner
240923	Alu profile 1M/PCB width 16mm surface mounting
240924	Alu profile 1M/PCB width 12mm recessed mounting
240925	Alu profile 1M/PCB width 12mm surface mounting
240916	Driver for Noxion LED Strips 60W & 75W
240917	Driver for Noxion LED Strips 120W
240918	DALI Driver for Noxion LED Strips 60W



A hand is shown interacting with a smartphone app. The app's interface features a large, multi-colored circular color wheel with a yellow center, and two horizontal sliders below it. The phone is resting on a desk. In the background, a large computer monitor is visible, displaying a desktop environment with various application icons on the taskbar. The monitor's screen is lit up with a vibrant purple and pink gradient. The overall scene is dimly lit, with the primary light sources being the phone's screen and the computer monitor.

Smart Lighting



Art. n°	Description	L70	RGB	IP / IK	Model
Lighting					
244007	LED Panel Smart + 20W 1500lm 830-860 30x30cm	25000h	Oui	20 / -	A
244011	LED Panel Smart + 35W 2500lm 830-865 10x120cm	25000h	Oui	20 / -	A
244008	LED Panel Smart + 40W 3400lm 830-860 60x60cm	25000h	Oui	20 / -	A
244012	LED Panel Smart + 40W 3300lm 830-865 30x120cm	25000h	Oui	20 / -	A
243985	LED Panel Smart + 20W 1600lm 830-865 Ø30	25000h	Oui	20 / -	B
243977	LED Panel Orbis Smart + 26W 2500lm 830-865 Ø38mm	15000h	Non	20 / -	C
243979	LED Panel Orbis Smart + 26W 2500lm 830-865 Ø48mm	15000h	Non	20 / -	C
243966	LED Strip 15W 520lm 827-865 3M	30000h	Oui	44 / -	D
243967	LED Strip 15W 520lm 827-865 5M	30000h	Oui	44 / -	D
243949	LED Floodlight 10W 630lm 830	30000h	Oui	65 / 05	E
243950	LED Floodlight 20W 1260lm 830	30000h	Oui	65 / 05	E
243951	LED Floodlight 30W 2190lm 830	30000h	Oui	65 / 05	E
243947	LED Bollard 7.5W 320lm 830 60cm	25000h	Non	44 / 03	F
243948	Wall mounted 7.5W 320lm 830	25000h	Non	44 / 03	G
243943	Wall mounted 9.5W 450lm 830	25000h	Non	44 / 03	H
243962	Garden Floodlight 5W 260lm 830 (1 spot)	25000h	Oui	44 / 03	I
243964	Garden Floodlight 14.5W 680lm 830 (3 spots)	25000h	Oui	44 / 03	I
243960	Garden Pole 5.7W 180lm 830 30cm (5 dots)	25000h	Oui	44 / 03	J
243957	Garden Pole 0.7W 110lm RGB 10cm (3 dots)	25000h	Oui	65 / -	K

Discover the whole Smart lighting category on our website.

Ledvance Smart+ Wifi LED Bulb




Art. n°	Description	RGB	Model
LED Bulbs & Spots			
242902	4-40W 470lm 827 E27 Filament - P35	No	A
242896	4-40W 470lm 827 E14 Filament - P35	No	B
242895	7.5-75W 1055lm 827 Frosted E27 - A67	No	C
242900	5-40W 470lm 827 E14 Filament - B40	No	D
242914	3-25W 210lm 827-865 E14 - R50	No	E
242912	3-25W 210lm 827-865 E14 - R50	Yes	E
242893	3-40W 210lm 827-865 E14 - R50	Yes	E
242894	6-25W 345lm 827-865 E27 - R63	Yes	E
242913	6-60W 345lm 827-865 E27 - R63	Yes	E
238952	5-25W 250lm 827-865 120° GU10 - PAR16	Yes	F
244056	5-32W 350lm 827-865 45° GU10 - PAR16	Yes	F
244057	5-25W 250lm 827-865 45° GU10 - PAR16	Yes	F
242908	6-50W 540lm 825 E27 Smoked - A60	No	G
242910	6-50W 540lm 825 E27 Smoked - G125	No	H
242909	6-50W 540lm 825 E27 Smoked - ST64	No	I
242891	6-50W 680lm 825 E27 Gold - ST64	No	J
LED tube			
244782	T8 - 18-36W 2300lm 827-865 120cm EM Mains	No	K

Ledvance Smart+ Wifi Accessories



Art. n°	Description
Plug smart lighting	
240769	Plug interior wifi - remote control (A)
243059	Nightlight Plug (B)
243057	Compact outdoor plug (C)
243055	Compact outdoor plug Zigbee (C)
Other accessories	
243054	Remote controle Smart+ RGBW (D)





Zubehör

Noxion LED Dimmer

Art. n°	Description
	Dimmer
238539	Cord Dimmer switch RLC 0-50W (remote control)
238453	Automatic Dimmer Switch RLC 0-300W
238537	Duo Dimmer Switch RLC 0-100W
	Cover Plate for LED Dimmer
238541	Cover plate - Hard Edge White (compatible with Automatic)
238540	Cover plate - Soft Edge White (compatible with Automatic)
239512	Double Cover plate - Soft Edge White (compatible with Duo)



238539



238453



238537



238541



238540



239512

LED Accessories



Art. n°	Description
	Power cable
160922	Cable 0,5M male (A)
232610	Cable 2M - EURO (B)
	Cable
223469	Cable 0,5M - GST18 male (C)
153655	Cable 2M - Epcom/3 Male (D)
140284	Cable 2M - GST18 male/female (E)
140271	Cable 3M - GST18 male/female (E)
151542	Cable 5M - GST18 male/female (E)
140281	Cable with plug 2M - Plug-GST18 (F)
152541	Cable universal 3M (G)
	Other
140045	Piece T - GST18 (H)
239375	Connector Quick with 3-pole (I)
232603	GU10 connector (J)
	Wago Cage Clamp (K)
237140	Wago 221-412 Cage Clamp - 2 Wire Connection
237141	Wago 221-413 Cage Clamp - 3 Wire Connection
237142	Wago 221-415 Cage Clamp- 5 Wire Connection
	Wago Push Wire (L)
220669	Wago 2273-202 Push Wire - 2 Wire Connection
237143	Wago 2273-203 Push Wire - 3 Wire Connection
237145	Wago 2273-204 Push Wire - 4 Wire Connection
237146	Wago 2273-205 Push Wire - 5 Wire Connection



A



B



C



D



E



F



G



H



I



J



K



L

Noxion Emergency lighting

NOXION
Best in class lighting



Art. n°	Description
239389	3.5W 3h Emergency Exit Lighting
Accessories	
239391	Suspension kit 2M
239390	Recessed frame

Normagrup Emergency lighting

Normagrup
ECOLIGHT NORMALUX



208880



231715



Via



Excellence



Euoprisma



Art. n°	Description
Ecolight VIA	
208880	3.4W 200lm 1h auto test for LED recessed white
231715	3.4W 200lm 1h auto test for LED surface mount white
243105	3.4W 200lm 1h auto test for LED recessed black
243106	3.4W 200lm 1h auto test for LED surface mount black
243107	5 picto plates (BE/2x LE-RE/UE/White)
243108	5 picto plates (BE/2x LE-RE/UE/Black)
Ecolight EXCELLENCE	
219899	4W 240Lm 1h auto test IP42 IK04
208912	Picto + alu frame Arrow left
208913	Picto + alu frame Arrow right
208914	Picto + alu frame Arrow down
208911	Picto + alu frame Arrow up
239582	5 picto plates (BE/2x LE-RE/UE/White)
Ecolight EUROPRISMA	
162754	3.3W 270lm 1h auto test surface mount
243109	Picto frame Arrow left
243110	Picto frame Arrow right
208922	Picto frame Arrow down
208925	Picto frame Arrow up

The background of the image shows several white LED light tubes of different lengths and orientations resting on a light-colored wooden surface with a visible grain. One tube in the upper right is partially inserted into its white mounting bracket. The tubes have a ribbed texture on their outer casing. A solid blue rectangular box is superimposed over the center of the image, containing the text 'LED Röhren' in white.

LED Röhren

TUBE T9

Noxion Avant LED T9 Circular

NOXION
Best in class lighting



L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-	80	0.9	Conventional / Mains (AC)

Art. n°	Description
235292	12-22W 1100lm 830 200mm G10q
235293	12-22W 1200lm 840 200mm G10q
242277	20-32W 1900lm 830 300mm G10q
242278	20-32W 2000lm 840 300mm G10q
242279	20-40W 1900lm 830 400mm G10q
242280	20-40W 2000lm 840 400mm G10q

T5 TUBE

Noxion Avant LED Tube T5 Extreme HO



NOXION
Best in class lighting



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 40°C	80	0.9	Electronic / Mains (AC)

Art. n°	Description
HO HF (ballast electronic)	
245197	16-28W 2160lm 830 1150mm
245198	16-28W 2400lm 840 1150mm
245199	16-28W 2400lm 865 1150mm
245200	26-49W 3510lm 830 1450mm
245201	26-49W 3900lm 840 1450mm
245202	26-49W 3900lm 865 1450mm
HO HE (mains- 230V)	
241830	26-54W 3510lm 830 1150mm
245204	26-54W 3900lm 840 1150mm
245205	26-54W 3900lm 865 1150mm
245206	26-49W 3510lm 830 1450mm
245207	26-49W 3900lm 840 1450mm
245208	26-49W 3900lm 865 1450mm



Osram SubstiTUBE T5 HE/HO



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 50°C	80	0.9	Electronic / Mains (AC)



Description	Art. n°	Mains 230V	Art. n°	Electronic
T5 HE				
Equivalent 14W - 55cm 3000K	242607	8W 1080lm 830	240758	7W 900lm 830
Equivalent 14W - 55cm 4000K	240763	8W 1200lm 840	240759	7W 1000lm 840
Equivalent 14W - 55cm 6500K	240764	8W 1200lm 865	240760	7W 1000lm 865
Equivalent 21W - 85cm 3000K	245883	10W 1350lm 830	240755	10W 1350lm 830
Equivalent 21W - 85cm 4000K	245884	10W 1500lm 840	240756	10W 1500lm 840
Equivalent 21W - 85cm 6500K	245885	10W 1500lm 865	240757	10W 1500lm 865
Equivalent 28W - 115cm 3000K	242606	16W 2150lm 830	240752	17W 2150lm 830
Equivalent 28W - 115cm 4000K	240761	16W 2400lm 840	240753	17W 2400lm 840
Equivalent 28W - 115cm 6500K	240762	16W 2400lm 865	240754	17W 2400lm 865
Equivalent 35W - 145cm 3000K	242605	18W 2550lm 830	240749	18W 2550lm 830
Equivalent 35W - 145cm 4000K	240710	18W 2800lm 840	240750	18W 2800lm 840
Equivalent 35W - 145cm 6500K	240711	18W 2800lm 865	240751	18W 2800lm 865
T5 HO				
Equivalent 24W - 55cm 3000K	245880	10W 1350lm 830	-	-
Equivalent 24W - 55cm 4000K	245881	10W 1500lm 840	-	-
Equivalent 24W - 55cm 6500K	245882	10W 1500lm 865	-	-
Equivalent 39W - 85cm 3000K	245877	16W 2160lm 830	-	-
Equivalent 39W - 85cm 4000K	245878	16W 2400lm 840	-	-
Equivalent 39W - 85cm 6500K	245879	16W 2400lm 865	-	-
Equivalent 54W - 115cm 3000K	242603	26W 3600lm 830	240743	26W 3600lm 830
Equivalent 54W - 115cm 4000K	240706	26W 4000lm 840	240744	26W 4000lm 840
Equivalent 54W - 115cm 6500K	240707	26W 4000lm 865	240745	26W 4000lm 865
Equivalent 49W - 145cm 3000K	242604	26W 3600lm 830	240746	26W 3600lm 830
Equivalent 49W - 145cm 4000K	240708	26W 4000lm 840	240747	26W 4000lm 840
Equivalent 49W - 145cm 6500K	240709	26W 4000lm 865	240748	26W 4000lm 865
Equivalent 80W - 145cm 3000K	242602	37W 5050lm 830	240740	37W 5050lm 830
Equivalent 80W - 145cm 4000K	240704	37W 5600lm 840	240741	37W 5600lm 840
Equivalent 80W - 145cm 6500K	240705	37W 5600lm 865	240742	37W 5600lm 865

Philips Master LEDtube T5 HE/HO/UO

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic / Mains (AC)

Description	Art. n°	Mains 230V	Art. n°	Electronic
T5 HE				
Equivalent 14W - 55cm 3000K	242467	8W 1000lm 830	230985	8W 1000lm 830
Equivalent 14W - 55cm 4000K	242468	8W 1050lm 840	230986	8W 1050lm 840
Equivalent 14W - 55cm 6500K	242469	8W 1050lm 865	230987	8W 1050lm 865
Equivalent 28W - 115cm 3000K	242554	16.5W 2300lm 830	230988	17W 2300lm 830
Equivalent 28W - 115cm 4000K	242462	16.5W 2500lm 840	230989	17W 2500lm 840
Equivalent 28W - 115cm 6500K	242463	16.5W 2500lm 865	230990	17W 2500lm 865
Equivalent 35W - 145cm 3000K	242464	20W 2800lm 830	230991	20W 2800lm 830
Equivalent 35W - 145cm 4000K	242465	20W 3000lm 840	230992	20W 3000lm 840
Equivalent 35W - 145cm 6500K	242466	20W 3000lm 865	230993	20W 3000lm 865
T5 HO				
Equivalent 54W - 115cm 3000K	233729	26W 3600lm 830	239431	26W 3700lm 830
Equivalent 54W - 115cm 4000K	233730	26W 3900lm 840	239432	26W 3900lm 840
Equivalent 54W - 115cm 6500K	233731	26W 3900lm 865	239433	26W 3900lm 865
Equivalent 49W - 145cm 3000K	233732	26W 3600lm 830	239434	26W 3700lm 830
Equivalent 49W - 145cm 4000K	233733	26W 3900lm 840	239435	26W 3900lm 840
Equivalent 49W - 145cm 6500K	233734	26W 3900lm 865	239436	26W 3900lm 865
T5 UO				
Equivalent 80W - 145cm 3000K	240985	36W 5200 830	246009	36W 5200 830
Equivalent 80W - 145cm 3000K	240986	36W 5600 840	246010	36W 5600 840
Equivalent 80W - 145cm 3000K	240987	36W 5600 865	246011	36W 5600 865



Noxion Avant LED T8 Tube Extreme UO & HO

NOXION
Best in class lighting



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
T8 UO	
241594	9-18W 1350lm 830 600mm
241595	9-18W 1350lm 840 600mm
241596	9-18W 1350lm 865 600mm
241597	17-36W 2600lm 830 1200mm
241598	17-36W 2600lm 840 1200mm
241599	17-36W 2600lm 865 1200mm
241600	22-58W 3300lm 830 1500mm
241601	22-58W 3300lm 840 1500mm
241602	22-58W 3300lm 865 1500mm
237773	Starter Avant LED T8 tube Extreme UO
T8 HO	
241638	9-18W 1070lm 827 600mm
241626	9-18W 1023lm 830 600mm
241627	9-18W 1072lm 840 600mm
241628	9-18W 1072lm 865 600mm
237835	12-30W 1370lm 830 900mm
241630	12-30W 1430lm 840 900mm
237837	12-30W 1430lm 865 900mm
241639	14-36W 1892lm 827 1200mm
241632	14-36W 1810lm 830 1200mm
241633	14-36W 1910lm 840 1200mm
241634	14-36W 1910lm 865 1200mm
241640	18-58W 2634lm 827 1500mm
241635	18-58W 2520lm 830 1500mm
241636	18-58W 2660lm 840 1500mm
241637	18-58W 2660lm 865 1500mm



Noxion Avant LED T8 Tube Standard EM

L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
New generation	
241603	9-18W 900lm 830 600mm
241604	9-18W 990lm 840 600mm
241605	9-18W 990lm 865 600mm
241606	18-36W 1815lm 830 1200mm
241607	18-36W 1980lm 840 1200mm
241608	18-36W 1980lm 865 1200mm
241609	24-58W 2420lm 830 1500mm
241610	24-58W 2640lm 840 1500mm
241611	24-58W 2640lm 865 1500mm



Philips Master LEDtube EM

L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
HO	
229293	8-18W 1000lm 830 600mm HO ROT
229294	8-18W 1050lm 840 600mm HO ROT
229295	8-18W 1050lm 865 600mm HO ROT
229296	12-30W 1575lm 840 900mm HO ROT
229297	12-30W 1575lm 865 900mm HO ROT
234547	12-36W 1900lm 830 1200mm HO ROT
234548	12-36W 2100lm 840 1200mm HO ROT
234549	12-36W 2100lm 865 1200mm HO ROT
234550	18-58W 2900lm 830 1500mm HO ROT
234551	18-58W 3100lm 840 1500mm HO ROT
234552	18-58W 3100lm 865 1500mm HO ROT
UO	
241116	15-36W 2300lm 830 1200mm
241117	15-36W 2500lm 840 1200mm
241118	15-36W 2500lm 865 1200mm
241119	22-58W 3400lm 830 1500mm
241120	22-58W 3700lm 840 1500mm
241121	22-58W 3700lm 865 1500mm



PHILIPS

Osram Substitube LED EM T8

L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
242593	6.6-18W 720lm 830 600mm
242594	6.6-18W 800lm 840 600mm
242595	6.6-18W 800lm 840 600mm
242596	15-36W 1620lm 830 1200mm
242597	15-36W 1800lm 840 1200mm
242598	15-36W 1800lm 865 1200mm
242599	18.3-58W 1980lm 830 1500mm
242600	18.3-58W 2200lm 840 1500mm
242601	18.3-58W 2200lm 865 1500mm



Philips Corepro LEDtube EM T8

L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
242353	8-18W 800lm 840 600mm
242354	8-18W 800lm 865 600mm
242349	14-36W 1600lm 840 1200mm
242350	14-36W 1600lm 865 1200mm
242351	20-58W 2200lm 840 1500mm
242352	20-58W 2200lm 865 1500mm
HO	
246077	8-18W 900lm 840 600mm
246078	8-18W 900lm 865 600mm
234560	18-36W 2000lm 840 1200mm
235707	18-36W 2000lm 865 1200mm
234561	24-58W 2700lm 840 1500mm
235708	24-58W 2700lm 865 1500mm



Philips Master LEDtube Value

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Conventional / Mains (AC)

Art. n°	Description
HO	
236137	8-18W 1000lm 830 600mm
236138	8-18W 1050lm 840 600mm
236139	8-18W 1050lm 865 600mm
236125	14-36W 2000lm 830 1200mm
236126	14-36W 2100lm 840 1200mm
236127	14-36W 2100lm 865 1200mm
236131	20.5-58W 2900lm 830 1500mm
236132	20.5-58W 3100lm 840 1500mm
236133	20.5-58W 3100lm 865 1500mm
UO	
241122	16-36W 2300lm 830 1200mm
241123	16-36W 2500lm 840 1200mm
241124	16-36W 2500lm 865 1200mm
241125	24-58W 3400lm 830 1500mm
241126	24-58W 3700lm 840 1500mm
241127	24-58W 3700lm 865 1500mm



Noxion Avant LED T8 Tube Extreme HO HF

NOXION
Best in class lighting

L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic

Art. n°	Description
244316	14-36W 1950lm 830 1200mm
244317	14-36W 2100lm 840 1200mm
244318	14-36W 2100lm 865 1200mm
244319	20-58W 2800lm 830 1500mm
244320	20-58W 3100lm 840 1500mm
244321	20-58W 3100lm 865 1500mm

Philips MASTER LEDtube Instantfit T8 HF

PHILIPS



L70	Warranty	°C	CRI	PF	Ballast
50000h	5 years	-20°C - 45°C	80	0.9	Electronic

Art. n°	Description
HO	
246091	8-18W 1000lm 830 600mm
246092	8-18W 1040lm 840 600mm
246093	8-18W 1040lm 865 600mm
246079	14-36W 2000lm 830 1200mm
246080	14-36W 2100lm 840 1200mm
246081	14-36W 2100lm 840 1200mm
246085	20-58W 2900lm 830 1500mm
246086	20-58W 3100lm 840 1500mm
246087	20-58W 3100lm 865 1500mm
UO - Dimmable	
246082	16-36W 2350lm 830 1200mm
246083	16-36W 2500lm 840 1200mm
246084	16-36W 2500lm 865 1200mm
246088	24-58W 3500lm 830 1500mm
246089	24-58W 3700lm 840 1500mm
246090	24-58W 3700lm 840 1500mm

T8 TUBE UN UNIVERSAL

Philips Master LEDtube Value UO T8

L70	Warranty	°C	CRI	PF	Ballast
60000h	5 years	-20°C - 45°C	80	0.9	Universal

Art. n°	Description
242456	16-36W 2300lm 830 1200mm
242457	16-36W 2500lm 840 1200mm
242458	16-36W 2500lm 865 1200mm
242459	23-58W 3400lm 830 1500mm
242460	24-58W 3700lm 840 1500mm
242461	24-58W 3700lm 865 1500mm



PHILIPS


Philips CorePro LEDtube UN HO T8 Universal

L70	Warranty	°C	CRI	PF	Ballast
30000h	3 years	-20°C - 45°C	80	0.9	Universal

Art. n°	Description
239419	8-18W 850lm 830 600mm
239420	8-18W 900lm 840 600mm
239421	8-18W 900lm 865 600mm
233719	18-36W 1850lm 830 1200mm
233720	18-36W 2000lm 840 1200mm
233721	18-36W 2000lm 865 1200mm
233722	23-58W 2500lm 830 1500mm
233723	23-58W 2700lm 840 1500mm
233724	23-58W 2700lm 865 1500mm



PHILIPS





LED Leuchtmittel

For highbay fixture Philips

Art. n°	Description
	TrueForce Core HB Philips
239413	20W 2600lm 830 E27
239414	20W 2700lm 840 E27
239415	30W 3700lm 830 E27
239416	30W 4000lm 840 E27
239417	35W 4800lm 830 E27
239418	35W 5000lm 840 E27
	TrueForce HPI UN Philips
240983	95W 13000lm 840 E40 60°
241110	95W 13000lm 840 E40 120°
241113	140W 20000lm 840 E40 60°
240982	140W 20000lm 840 E40 120°



PHILIPS



HB

PHILIPS



HPI UN



For highbay fixture Osram

Art. n°	Description
	HQL Osram
242629	95-250W 13000lm 840 E40 120°
242630	140-400W 20000lm 840 E40 120°
	HQL Osram
242627	95-250W 13000lm 840 E40 115°
242628	140-400W 20000lm 840 E40 117°



OSRAM



HQL/HQI

For highbay fixture Ledvance

Art. n°	Description
	HB Ledvance
245894	105W 14000lm 822 E40 300°
245895	150W 21000lm 818 E40 300°
245896	160W 25000lm 822 E40 300°



LEDVANCE



HB

For public lighting / road Philips

Art. n°	Description
TrueForce Road standard	
243301	17W 2800lm 730 E27
243302	17W 3000lm 740 E27
243303	26W 4200lm 730 E27
243304	26W 4500lm 740 E27
243305	40W 7200lm 730 E40
243306	40W 7500lm 740 E40
TrueForce SOX (100-277V) Philips	
243312	18W 2500lm 840 B22
243313	28W 4000lm 840 B22
243314	36W 5000lm 840 B22
TrueForce Road (100-277V) Philips	
243307	25W 4000lm 730 E27
243308	25W 4200lm 740 E27
243311	68W 11200lm 765 E40
TrueForce Road SON (50-60V) Philips	
235674	25W 4000lm 730 E27
235675	25W 4200lm 740 E27
235676	55W 8400lm 730 E40
235677	55W 9000lm 740 E40
235672	68W 11200lm 730 E40
235673	68W 12000lm 740 E40



PHILIPS



Road Stan.

PHILIPS



SOX

PHILIPS



Road

PHILIPS



Road SON



For public lighting / road Osram

Art. n°	Description
NAV LED Osram	
242631	23W 3600lm 727 E27
242632	23W 4000lm 740 E27
242633	35W 5400lm 727 E27
242634	35W 6000lm 740 E27
240829	50W 8100lm 727 E40
240830	50W 9000lm 740 E40
240831	65W 10800lm 727 E40
240832	65W 12000lm 740 E40



OSRAM



NAV

High intensity HIB replacement Philips

Art. n°	Description
TrueForce Core HPL SON Philips	
238561	13W 2000lm 830 E27
238562	13W 2000lm 840 E27
238563	18W 3000lm 830 E27
238564	18W 3000lm 840 E27
238565	26W 4000lm 830 E27
238566	26W 4000lm 840 E27
240977	36W 5500lm 830 E27
240978	36W 6000lm 840 E27
240979	36W 5500lm 830 E40
240980	36W 6000lm 840 E40
TrueForce HPL ND Philips	
235664	21W 2850lm 830 E27
235665	21W 3000lm 840 E27
235666	28W 3800lm 830 E27
235667	28W 4000lm 840 E27
235668	42W 5700lm 830 E27
235669	42W 5700lm 830 E40
235671	42W 6000lm 840 E40



PHILIPS



HPL SON

PHILIPS



HPL ND



High intensity HIB replacement Osram



Art. n°	Description
HQL PRO Osram	
245853	14.5W 1800lm 827 E27
245854	14.5W 2000lm 827 E27
245855	21.5W 2700lm 827 E27
245856	21.5W 3000lm 840 E27
245857	29W 3600lm 827 E27
245858	29W 4000lm 840 E27
245859	41W 5400lm 827 E27
245860	41W 6000lm 840 E27
245861	41W 5400lm 827 E40
245862	41W 6000lm 840 E40
245863	90W 11700lm 827 E40
245864	90W 13000lm 840 E40



OSRAM



HQL PRO

Noxion Lucent LED PL-C

NOXION
Best in class lighting

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	G24-d

Art. n°	Description
	2P
242033	4,5-9W 472lm 830 G24d-1
242034	4,5-9W 499lm 840 G24d-1
244681	6,5-18W 650lm 830 G24d-2
244682	6,5-18W 700lm 840 G24d-2
244683	9,5-26W 950lm 830 G24d-3
244684	9,5-26W 1000lm 840 G24d-3



Philips CorePro LED PL-C

PHILIPS

Time	Warranty	CRI	PF	Base
50000h	5 years	80	0.9	G24-d

Art. n°	Description
	2Pins (ballast conventional)
230343	4,5-13W 830 475lm G24d-1 EM
230345	4,5-13W 840 500lm G24d-1 EM
220774	6,5-18W 830 600lm G24d-2 EM
220775	6,5-18W 840 650lm G24d-2 EM
220776	8,5-26W 830 900lm G24d-3 EM
220781	8,5-26W 840 950lm G24d-3 EM
	4Pins (ballast electronic)
230344	4,5-13W 830 475lm G24q-1 HF
230346	4,5-13W 840 500lm G24q-1 HF
220779	6,5-18W 830 600lm G24q-2 HF
220780	6,5-18W 840 650lm G24q-2 HF
220777	9-26W 830 900lm G24q-3 HF
220778	9-26W 840 950lm G24q-3 HF



Noxion Lucent LED PL-S

NOXION
Best in class lighting

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	G23/2G7

Art. n°	Description
2P	
242035	3.5-5W 367,5lm 827 G23 2P
242036	3.5-5W 367,5lm 830 G23 2P
242037	3.5-5W 402,5lm 840 G23 2P
242038	4.5-9W 540lm 827 G23 2P
242039	4.5-9W 540lm 830 G23 2P
242040	4.5-9W 600lm 840 G23 2P
242044	6-11W 765lm 827 G23 2P
242045	6-11W 765lm 830 G23 2P
242046	6-11W 850lm 840 G23 2P
4P	
242041	4.5-9W 540lm 827 2G7 4P
242042	4.5-9W 540lm 830 2G7 4P
242043	4.5-9W 600lm 840 2G7 4P
242047	6-11W 765lm 827 2G7 4P
242048	6-11W 765lm 830 2G7 4P
242049	6-11W 850lm 840 2G7 4P



Osram Dulux-S

OSRAM

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.7	G23

Art. n°	Description
240794	4.5-9W 450lm 830 G23 2P
240795	4.5-9W 500lm 840 G23 2P
240796	6-11W 630lm 830 G23 2P
240797	6-11W 700lm 840 G23 2P



Philips CorePro LED PL-L HF

PHILIPS

Time	Warranty	CRI	PF	Base
30000h	3 years	80	-	2G11

Art. n°	Description
230976	16,5-36W 2000lm 830 2G11 4P
230977	16,5-36W 2000lm 840 2G11 4P
230978	16,5-36W 2000lm 865 2G11 4P
234555	24-40W 3200lm 830 2G11 4P
234556	24-40W 3400lm 840 2G11 4P
234557	24-40W 3400lm 840 2G11 4P



Osram Dulux-L

OSRAM

Time	Warranty	CRI	PF	Base
30000h	3 years	80	0.9	2G11

Art. n°	Description
240810	8-18W 900lm 830 2G11 4P
240811	8-18W 1000lm 840 2G11 4P
240812	12-24W1350lm 830 2G11 4P
240813	12-24W 1500lm 840 2G11 4P
240814	18-36W 2070lm 830 2G11 4P
240815	18-36W 2300lm 840 2G11 4P
240816	25-55W 2950lm 830 2G11 4P
240817	25-55W 3250lm 840 2G11 4P



GX53

Osram Star GX53

OSRAM

Art. n°	Description
244094	4.9-40W 470lm 827 GX53
244095	4.9-40W 470lm 840 GX53



Noxion Lucent LED Spot PAR16 GU10

Art. n°	Description
242299	2.4-35W 230lm 827 36D
242300	2.4-35W 230lm 830 36D
244565	3.7-35W 270lm 840 36D
242301	3.6-50W 350lm 830 36D
242302	3.6-50W 450lm 840 36D
242053	4.8-60W 450lm 827 36D
242298	5-60W 520lm 840 36D
241958	5.5-75W 560lm 830 36D
Dimmable	
241957	3-35W 230lm 827 36D Dim
243403	3-35W 230lm 830 36D Dim
242052	4-50W 345lm 827 36D Dim
241648	4-50W 345lm 830 36D Dim
244564	4-50W 345lm 840 36D Dim



Philips CorePro LEDspot MV GU10 230V

Art. n°	Description
231001	3,1-25W 215lm 827 36D
230953	3,1-25W 225lm 830 36D
230954	3,1-25W 230lm 840 36D
231003	3,5-35W 255lm 827 36D
230955	3,5-35W 265lm 830 36D
230956	3,5-35W 275lm 840 36D
231002	4,6-50W 355lm 827 36D
230957	4,6-50W 370lm 830 36D
230958	4,6-50W 390lm 840 36D
242406	6.5-65W 460lm 830 36D
242405	6.5-65W 485lm 840 36D
241889	6.7-90W 670lm 830 60D
Dimmable	
230948	4-35W 250lm 827 36D Dim
230949	4-35W 260lm 830 36D Dim
230959	4-35W 270lm 840 36D Dim
230950	5-50W 350lm 827 36D Dim
242380	5-50W 365lm 830 36D Dim
242381	5-50W 380lm 840 36D Dim



PHILIPS

Osram Parathom PAR16 GU10



CRI90

Art. n°	Description
242800	2,6-35W 230lm 827 36D
242801	2,6-35W 230lm 830 36D
242802	2,6-35W 230lm 840 36D
242809	4,3-50W 350lm 827 36D
242812	4,3-50W 350lm 827 120D
242810	4,3-50W 350lm 830 36D
242813	4,3-50W 350lm 830 120D
242811	4,3-50W 350lm 840 36D
242814	4,3-50W 350lm 840 120D
242827	6,9-80W 575lm 827 36D
242830	6,9-80W 575lm 827 60D
242833	6,9-80W 620lm 827 120D
242828	6,9-80W 575lm 830 36D
242831	6,9-80W 575lm 830 60D
242834	6,9-80W 620lm 830 120D
242829	6,9-80W 575lm 840 36D
242832	6,9-80W 575lm 840 60D
242835	6,9-80W 620lm 840 120D
242839	9,6-100W 750lm 827 36D
242840	9,6-100W 750lm 830 36D
242841	9,6-100W 750lm 840 36D

Philips MASTER Value LEDspot PAR16 GU10

PHILIPS



CRI90



Art. n°	Description
242359	3.7-35W 270lm 927 36D Dim
242360	3.7-35W 270lm 927 60D Dim
230364	3.7-35W 270lm 930 36D Dim
242361	3.7-35W 270lm 930 60D Dim
230366	3.7-35W 285lm 940 36D Dim
230367	3.7-35W 285lm 940 60D Dim
242362	4.9-50W 355lm 927 36D Dim
230369	4.9-50W 355lm 927 60D Dim
230370	4.9-50W 365lm 930 36D Dim
230371	4.9-50W 365lm 930 60D Dim
230372	4.9-50W 380lm 940 36D Dim
230373	4.9-50W 380lm 940 60D Dim
237176	6.2-80W 575lm 930 36D Dim
237513	6.2-80W 575lm 940 36D Dim

Osram Dim Parathom PAR16 GU10



Art. n°	Description
245968	3,4-35W 230lm 927 120D Dim
245971	3,4-35W 230lm 930 36D Dim
245972	3,4-35W 230lm 940 120D Dim
245975	4,5-50W 350lm 927 36D Dim
245979	4,5-50W 350lm 930 36D Dim
245981	4,5-50W 350lm 940 120D Dim
245974	
245978	
245980	
242818	8,3-80W 575lm 927 36D Dim
242821	8,3-80W 575lm 927 60D Dim
242824	7,9-80W 650lm 927 120D Dim
242819	8,3-80W 575lm 930 36D Dim
242823	8,3-80W 575lm 930 60D Dim
242825	7,9-80W 650lm 930 120D Dim
242820	8,3-80W 575lm 940 36D Dim
242822	8,3-80W 575lm 940 60D Dim
242826	7,9-80W 650lm 940 120D Dim
242836	9,6-100W 750lm 827 36D Dim
242837	9,6-100W 750lm 830 36D Dim
242838	9,6-100W 750lm 840 36D Dim

Osram Dim PRO Parathom PAR16 GU10



Art. n°	Description
245965	3,4-35W 230lm 927 36D Dim
245966	3,4-35W 230lm 930 36D Dim
245967	3,4-35W 230lm 940 36D Dim
242803	6-50W 350lm 927 36D Dim
242804	6-50W 350lm 930 36D Dim
242805	6-50W 350lm 930 36D Dim
242815	9,5-80W 575lm 927 36D Dim
242816	9,5-80W 575lm 930 36D Dim
242817	9,5-80W 575lm 940 36D Dim

Noxion Perfect Color LED GU10

Art. n°	Description
241672	4-35W 310lm 927 36D Dim
242051	4-35W 310lm 927 60D Dim
243422	4-35W 310lm 930 36D Dim
242297	4-35W 310lm 930 60D Dim
242296	4-35W 280lm 940 36D Dim
241955	5.5-50W 345lm 927 36D Dim
241645	5.5-50W 345lm 927 60D Dim
242050	5.5-50W 345lm 930 36D Dim
241646	5.5-50W 345lm 930 60D Dim
243440	5.5-50W 345lm 940 36D Dim
241647	5.5-50W 345lm 940 60D Dim

NOXION
Best in class lighting



Philips MASTER LEDspot ExpertColor PAR16 GU10

Art. n°	Description
230350	3.9-35W 265lm 927 25D Dim
230351	3.9-35W 265lm 927 36D Dim
230352	3.9-35W 280lm 930 25D Dim
230353	3.9-35W 280lm 930 36D Dim
230354	3.9-35W 300lm 940 25D Dim
230355	3.9-35W 300lm 940 36D Dim
230356	5.5-50W 355lm 927 25D Dim
230357	5.5-50W 355lm 927 36D Dim
230358	5.5-50W 375lm 930 25D Dim
230359	5.5-50W 375lm 930 36D Dim
230360	5.5-50W 400lm 940 25D Dim
230361	5.5-50W 400lm 940 36D Dim

PHILIPS



GU4

Osram Parathom MR11 GU4

Art. n°	Description
242872	2,5-20W 184lm 827 36D
242871	2,5-20W 184lm 840 36D
242875	4,2-35W 345lm 827 36D
242874	4,2-35W 360lm 840 36D
242873	4,5-35W 345lm 927 36D Dim
242870	3,2-20W 184lm 927 36D Dim

OSRAM



Noxion Lucent Spot MR16 GU5.3

Art. n°	Description
242055	3-20W 270lm 827 36D
242056	4.5-35W 400lm 827 36D
244207	4.5-35W 410lm 840 36D
244367	7.8-50W 730lm 827 36D
244206	7.8-50W 730lm 830 36D
244205	7.8-50W 730lm 840 36D
Dimmable	
245659	5-35W 470lm 827 36D Dim
242304	5-35W 470lm 827 60D Dim
245658	5-35W 470lm 830 36D Dim
242305	5-35W 470lm 830 60D Dim
242303	5-35W 490lm 840 36D Dim
244366	5-35W 470lm 840 60D Dim
244369	7.5-50W 621lm 827 36D Dim
244368	7.5-50W 621lm 827 60D Dim
242306	7.5-50W 621lm 830 36D Dim
242307	7.5-50W 621lm 830 60D Dim
242308	7.5-50W 621lm 840 60D Dim

NOXION
 Best in class lighting


Osram Parathom Pro LEDSpot MR16 GU5.3

Art. n°	Description
245731	4-20W 230lm 927 36D Dim
245736	4-20W 230lm 930 36D Dim
245953	3.4-20W 230lm 940 36D Dim
245957	5-35W 345lm 927 36D Dim
245959	5-35W 345lm 930 36D Dim
245960	5-35W 345lm 940 36D Dim
242854	8-50W 621lm 927 36D Dim
242855	8-50W 621lm 930 36D Dim
242856	8-50W 621lm 940 36D Dim

OSRAM


Osram Parathom LedSpot MR16 GU5.3

Art. n°	Description
245738	2.6-20W 230lm 827 36D
245730	2.6-20W 230lm 830 36D
245955	2.6-20W 230lm 840 36D
245739	3.8-35W 345lm 827 36D
245735	3.8-35W 350lm 830 36D
245737	3.8-35W 350lm 840 36D
242857	8-50W 621lm 827 36D
242858	8-50W 621lm 830 36D
242859	8-50W 621lm 840 36D



OSRAM

Osram Transformer Halogen/LED

Art. n°	Description
130076	Osram HTM - 70VA
130045	Osram HTM - 105VA
130046	Osram HTM - 150VA
202245	Osram ET-Parrot - 70VA



OSRAM

GY6.35

Noxion Bolt LED GY6.35

Art. n°	Description
241793	2.6-28W 300lm 827
241794	2.6-28W 300lm 830

NOXION



Osram Parathom LED GY6.35

Art. n°	Description
242672	2.6-30W 300lm 827
242673	4-40W 300lm 827
242671	4.5-40W 470lm 827 Dim

OSRAM



Noxion Bolt LED G9

Art. n°	Description
241788	1,8-20W 200lm 827
241791	1,8-20W 200lm 830
241796	1,9-20W 200lm 827
241787	1,9-20W 200lm 830
241789	2,6-30W 320lm 827
241786	3,5-32W 350lm 827 Dim
241797	3,8-40W 470lm 827
241801	3,8-40W 470lm 830
241790	4,8-48W 600lm 827
241792	4,8-48W 600lm 830



NOXION
Best in class lighting

Philips CorePro Capsule LED G9

Art. n°	Description
242438	2-25W 220lm 827
242439	2-25W 300lm 830
239401	2,6-25W 300lm 827 Dim
242440	3,2-40W 400lm 827
242441	3,2-40W 400lm 830
239402	4-40W 480lm 827 Dim
237345	4,8-60W 570lm 827
237346	4,8-60W 570lm 830



PHILIPS

Noxion Bolt LED G4

Art. n°	Description
241798	0,9-10W 100lm 827
241802	0,9-10W 100lm 830
241799	1,8-21W 200lm 827
241800	1,8-21W 200lm 830
241795	2-21W 200lm 827 Dim



NOXION
Best in class lighting

Osram Parathom LED G4

Art. n°	Description
242667	0,9-10W 100lm 827
242669	1,8-20W 200lm 827
242668	2-20W 200lm 827 Dimmable
242670	2,6-28W 300lm 827

OSRAM



R7s

Philips CorePro LEDlinear R7s

Art. n°	Description
78mm	
230945	7.5-60W 950lm 830
231201	7.5-60W 1000lm 840
118mm	
242454	8,1-60W 900lm 830
242455	8,1-60W 970lm 840
224255	14-100W 1600lm 830 Dim
224256	14-100W 1800lm 840 Dim
230946	14-120W 2000lm 830 Dim
231200	14-120W 2000lm 840 Dim
236117	17,5-150W 2460lm 830 Dim
236118	17,5-150W 2460lm 840 Dim

PHILIPS



78mm



118mm



Osram Parathom Line R7s

Art. n°	Description
78mm	
242678	7-60W 806lm 827
242679	8-75W 1055lm 827
242674	8-75W 1055lm 827 Dim
234973	12-100W 1521lm 827
234974	12-100W 1521lm 827 Dim
118mm	
242681	13-100W 1521lm 827
242682	16-125W 2000lm 827
242676	16-125W 2000lm 827 Dim
242683	19-150W 2452lm 827
242677	17,5-150W 2452lm 827 Dim

OSRAM



78mm



118mm



Noxion Lucent LED Spot AR111 G53 & GU10

Art. n°	Description
G53	
242290	7.3-50W 530lm 930 24D Dim
242291	7.3-50W 530lm 927 40D Dim
242292	7.3-50W 530lm 930 40D Dim
244208	11.5-75W 880lm 927 24D Dim
242293	11.5-75W 880lm 930 24D Dim
242294	11.5-75W 880lm 927 40D Dim
241960	11.5-75W 880lm 930 40D Dim
G53 PRO	
242311	12-50W 550lm 927 G53 40D Dim (warranty 3 years)
242312	12-50W 570lm 930 G53 40D Dim (warranty 3 years)
GU10 PRO	
242314	12-50W 600lm 927 GU10 40D Dim (warranty 3 years)
242315	12-50W 620lm 930 GU10 40D Dim (warranty 3 years)
242316	15-75W 780lm 927 GU10 40D Dim (warranty 3 years)
242317	15-75W 800lm 930 GU10 40D Dim (warranty 3 years)

NOXION
 Best in class lighting


G53



GU10



G53 PRO



GU10 PRO



Philips Master LED Spot AR111 G53

Art. n°	Description
LED spot Expert Color	
242443	11-50W 600lm 927 9D
242442	11-50W 600lm 927 24D
242453	11-50W 600lm 927 40D
242446	11-50W 620lm 930 9D
242444	11-50W 620lm 930 24D
242445	11-50W 620lm 930 40D
242447	15-75W 830lm 927 24D
242448	15-75W 850lm 927 45D
242449	15-75W 850lm 930 24D
242450	15-75W 870lm 930 45D
242451	15-75W 980lm 940 45D

PHILIPS


Expert Color



LV



Osram Parathom Classic B22d

Art. n°	Description
Shape A	
245517	11-100W 1521lm 865 Frosted Dim
Candle B22d	
245518	4-40W 470lm 827 Clear Filament
240793	4-40W 470 827 Frosted
Candle B15d	
245519	4-40W 470lm 827 Clear Filament



A



Candle



OSRAM

STICK

Osram Parathom Stick Classic

Art. n°	Description
Frosted E14 (A)	
242651	2,3-20W 200lm 827
242650	2,3-20W 200lm 865
Frosted E27 (B)	
242780	8-60W 806lm 827
242781	8-60W 806lm 840
242782	9-75W 1050lm 827
242783	9-75W 1050lm 840
Filament E14 (C)	
238932	1,6-5W 50lm 824
242652	2,2-12W 110lm 827
Filament E14 (D)	
242653	2,8-25W 250lm 827
242654	2,8-25W 250lm 865
Filament E14 (E)	
242655	4-40W 470lm 827
LED Chip B15d (F)	
242646	7-60W 806lm 827
LED Chip B15d (G)	
242645	9-75W 1055lm 827
LED Chip E27 (H)	
242648	7,3-60W 806lm 827



A



B



C



D



E



F



G



H



OSRAM

Noxion Lucent LED A60

NOXION
Best in class lighting

Art. n°	Description
241938	5,5-40W 470lm 827
241939	5,5-40W 470lm 830
242030	5,5-40W 470lm 840
244551	7-40W 470lm 827 Dim
242285	8,5-60W 806lm 827 Dim
242283	8,5-60W 806lm 827
242031	8,5-60W 806lm 830
241940	8,5-60W 806lm 840
241941	11-75W 1055lm 827
241942	11-75W 1055lm 830
241943	11-75W 1055lm 840
241944	12-75W 1055lm 827 Dim
241945	14-100W 1521lm 827 Dim
242026	15-100W 1521lm 827
242284	14-100W 1521lm 830
241910	15-100W 1521lm 840



Philips CorePro LED A60

PHILIPS

Art. n°	Description
242484	4,5-40W 470lm 830
230879	5-40W 470lm 827
224175	5,5-40W 470lm 827
224177	8-60W 806lm 827
224212	7-60W 806lm 830
230878	7,5-60W 806lm 840
224262	11-75W 1055lm 827
219799	10-75W 1055lm 830
220200	10-75W 1055lm 840
219937	13-100W 1521lm 827
224263	13-100W 1521lm 830
220202	13-100W 1521lm 840
242514	13-120W 2000lm 827
242516	13-120W 2000lm 840
242517	13-120W 2000lm 865
242518	17,5-150W 2452lm 827
242520	17,5-150W 2452lm 840
242521	17,5-150W 2452lm 865



Noxion Lucent Filament LED A60

Art. n°	Description
A60	
241948	4,5-40W 470lm 827
244561	4,5-40W 470lm 840
241591	7-60W 806lm 827
244562	7-60W 680lm 827 Mirror
244560	7-60W 806lm 840
242286	8-75W 1055lm 827
A60 Dimmable	
240926	7-50W 630lm 820 Dim Amber
241906	8-50W 720lm 820 Dim Amber
241949	7-60W 806lm 827 Dim
239294	8,5-75W 1055lm 827 Dim
A70	
241908	12-100W 1521lm 827
A70 Dimmable	
241907	13-100W 1521lm 827 Dim



Standard



Amber



Mirror



A70



NOXION
Best in class lighting

Osram Retrofit Classic A60

Art. n°	Description
242686	4-40W 470lm 827
242687	5-40W 470lm 840
242693	6-60W 806lm 827
242694	6-60W 806lm 840
242700	7,5-75W 806lm 827
242701	7,5-75W 1055lm 840
945794	10-100W 1521lm 827
945796	11-100W 1521lm 840
Dimmable	
242684	4.8-40W 470lm 927 Dim
245841	5.8-60W 806lm 927 Dim
245842	5.8-60W 806lm 940 Dim
245843	7.5-75W 1055lm 927 Dim
245844	7.5-75W 1055lm 940 Dim
245845	11-100W 1521lm 927 Dim
245846	11-100W 1521lm 940 Dim
With sensor	
236750	6,5W-60W 806lm 840



OSRAM



Noxion Lucent Classic LED Lustre P45

Art. n°	Description
244558	1,4-15W 136lm 827 E27 Clear
242287	2,5-25W 250lm 827 E14 Clear
242029	2,5-25W 250lm 827 E27 Clear
241589	2,5-25W 250lm 827 E14 Dim Clear
242282	2,5-25W 250lm 827 E27 Dim Clear
241946	3-25W 250lm 827 E14 Frosted
241590	3-25W 250lm 827 E27 Frosted
240928	4-40W 350lm 827 E27 Dim Amber
242288	4,5-40W 470lm 827 E14 Clear
244563	4,5-40W 400lm 827 E14 Mirror
242032	4,5-40W 470lm 827 E14 Dim Clear
242289	4,5-40W 470lm 827 E27 Clear
241950	4,5-40W 470lm 827 E27 Dim Clear
241947	5-40W 470lm 827 E14 Frosted
244204	5-40W 470lm 827 E27 Frosted

NOXION
Best in class lighting



E14



E27



E14



E27



E14



E27



15000h



2



Philips CorePro LEDluster P45

Art. n°	Description
242345	2-25W 250lm 827 E14 Clear
242369	2.2-25W 250lm 827 E14 Frosted
242348	2-25W 250lm 827 E27 Clear
242371	2.2-25W 250lm 827 E27 Frosted
242538	2-25W 250lm 840 E14 Clear
242548	2.8-25W 250lm 840 E14 Frosted
242415	4.3-40W 470lm 827 E14 Clear
242370	4.3-40W 470lm 827 E14 Frosted
242416	4.3-40W 470lm 827 E27 Clear
242372	4.3-40W 470lm 827 E27 Frosted
242539	4.3-40W 470lm 840 E14 Clear
242549	5-40W 470lm 840 E14 Frosted
242550	5-40W 470lm 865 E14 Frosted
242540	6.5-60W 806lm 827 E14 Clear
242541	6.5-60W 806lm 827 E14 Frosted
242545	6.5-60W 806lm 827 E27 Clear
242542	6.5-60W 806lm 840 E14 Clear
242546	6.5-60W 806lm 827 E27 Frosted
242543	6.5-60W 806lm 840 E14 Frosted
242547	6.5-60W 806lm 840 E27 Frosted
242544	6.5-60W 806lm 865 E14 Frosted

PHILIPS



E14



E27



E14



E27



15000h



2

Noxion Lucent Filament LED B35 & BA35

Art. n°	Description
B35	
241951	2,5-25W 250lm 827 E14
241593	2,5-25W 250lm 827 E14 Dim
240931	4,1-32W 350lm 822 E14 Amber
241592	4,5-40W 470lm 827 E14
241952	4,5-40W 470lm 827 E14 Dim
BA35	
241953	2,5-25W 250lm 827 E14
240932	4,1-32W 350lm 822 E14 Amber
241954	4,5-40W 470lm 827 E14 Dim



Philips CorePro LEDcandle B35 & BA35

Art. n°	Description
B35 Frosted	
242367	2,2-25W 250lm 827 FRG
242324	2,8-25W 250lm 827
242497	2,8-25W 250lm 840
242368	4,3-40W 470lm 827 FRG
242323	5-40W 470lm 827
242498	5-40W 470lm 840
242499	5-40W 470lm 865
242534	6,5-60W 806lm 827 FRG
242537	6,5-60W 806lm 840 FRG
242536	6,5-60W 806lm 865 FRG
242364	7-60W 806lm 827
242500	7-60W 806lm 840
242501	7-60W 806lm 865
B35 Clear	
242342	2-25W 250lm 827
242532	2-25W 250lm 840
242414	4,3-40W 470lm 827
242533	4,3-40W 470lm 840
242531	6,5-60W 806lm 827
242535	6,5-60W 806lm 840
ST35 Clear	
242344	2-25W 250lm 827
BA35 Frosted	
242373	2,2-25W 250lm 827
BA35 Clear	
242343	2-25W 250lm 827



Noxion Dim-to-warm

Art. n°	Description
242057	A60 - 4,5-40W 470lm 822-827 Clear E27
241667	A60 - 7-50W 600lm 922-927 Frosted E27
242058	A60 - 7-60W 806lm 822-827 Clear E27
241909	A60 - 9-60W 806lm 822-827 Frosted E27
240933	BA35 - 5,5-40W 470lm 822-827 Clear E14
240936	P45 - 5,5-40W 470lm 822-827 Clear E14
240935	P45 - 5,5-40W 470lm 822-827 Clear E27
242054	GU10 - 3,7-35W 275lm 922-927 36D
241959	GU10 - 5,1-50W 385lm 922-927 36D
244361	AR111 - 7,3-50W 550lm 918-927 24D G53 (warranty 5 years)
244362	AR111 - 7,3-50W 550lm 918-927 40D G53 (warranty 5 years)



A60



A60



P45



BA35



GU10



AR111



15000h



2

CRI90



PHILIPS

Art. n°	Description
242474	A60 - 3,4-40W 470lm 922-927 Clear E27
242476	A60 - 5,9-60W 806lm 922-927 Clear E27
242556	A60 - 7,2-75W 1055lm 922-927 Clear E27
242481	A60 - 10,5-100W 1521lm 922-927 Clear E27
242495	P45 - 1,8-25W 340 922-927 Clear E14
242493	P45 - 2,5-25W 340lm 922-927 Clear E27
242496	P45 - 3,4-40W 470lm 922-927 Clear E14
242494	P45 - 3,5-40W 470lm 922-927 Clear E27
242489	B35 - 1,8-25W 340lm 922-927 Clear E14
242488	B35 - 3,4-40W 470lm 922-927 Clear E14
242560	B35 - 3,4-40W 470lm 922-927 Clear E27
242490	BA35 - 3,4-40W 470lm 922-927 Clear E14
242479	ST64 - 5,9-60W 806lm 922-927 Clear E27
242478	G93 - 5,9-60W 806lm 922-927 Clear E27
242363	GU10 - 3,7-35W 355lm 922-927 36D
230375	GU10 - 4,9-50W 355lm 922-927 36D



A60



P45



B35



BA35



ST64



ST64



GU10



25000h



CRI90



REFLECTOR

Philips CorePro LEDspot Reflector

Art. n°	Description
	R39
234515	1.8-30W 150lm 827 E14 36D
	R50
234514	1.4-25W 135lm 827 E14 36D
234516	2.8-40W 210lm 827 E14 36D
234509	4.3-60W 320lm 827 E14 36D Dim
	R63
234511	3-40W 210lm 827 E27 36D
234510	4.5-60W 345lm 827 E27 36D Dim
	R80
234512	4-60W 345lm 827 E27 36D
234513	8-100W 670lm 827 E27 36D
	PAR38
242379	9-60W 750lm 827 E27 25D

PHILIPS



R39



R50



R63



R80



PAR38



VINTAGE

Noxion Lucent Filament Bulb

Art. n°	Description
	ST64
242281	4-40W 470lm 827 E27
241666	6.5-60W 806lm 827 E27
240929	7.2-50W 630lm 822 E27 Dim Amber
240927	8.1-55W 720lm 825 E27 Dim Amber
	G95
240934	7.3-60W 806lm 827 E27
242028	8-60W 806lm 827 E27 Dim
	G125
240930	7.2-50W 630lm 822 E27 Dim Amber
241911	8-50W 710lm 822 E27 Dim Amber

NOXION
less to stress lighting



ST64



G95



G125





Konventionelle Beleuchtung

Philips TL-D Super 80

PHILIPS

Art. n°	827	830	840	865
60cm 18W	110301	110302	110303	110014
120cm 36W	110305	110306	110307	110046
150cm 58W	110309	110310	110311	110373
111001	Starter - S2 4-22W SER			
111002	Starter - S10 4-65W SIN			



Philips TL5 HE

PHILIPS

Art. n°	827	830	840	865
60cm 14W	110247	110216	110264	110292
90cm 21W	110298	110274	110238	155495
120cm 28W	110279	110215	110281	110296
150cm 35W	110200	110212	199005	151513



Philips TL5 HO

PHILIPS

Art. n°	827	830	840	865
60cm 24W	-	110194	110240	151501
90cm 39W	-	110193	110277	155366
150cm 49W	-	110226	110232	151617
120cm 54W	-	110192	110196	154829
150cm 80W	-	110283	110233	155497



Philips Ballast HF-Performer III

PHILIPS

Art. n°	Description
152456	2x22 42W PL-T/C/L/TL5C EII
137168	1x 18/36W TL-D HF-P III
153203	1x22 42W PL-T/C/L/TL5C HF-P II
137191	1x 58W TL-D HF-P III
150863	2x 18/36W TL-D HF-P III
150666	2x 58W TL-D HF-P III
157126	HF-P 249 TL5 HO III 220-240V IDC
155295	HF-M RED 118 SH PL-C/PL-T 230-240V



Osram Dulux D 2P



Art. n°	827	830	840	865
10W	162040	155089	161928	-
13W	161929	155101	156935	-
18W	161930	150606	154744	162779
26W	112051	150720	156516	161965



Philips Master PL-C 4P



Art. n°	827	830	840	865
10W	-	153249	153210	-
13W	112043	112094	112054	-
18W	112218	112044	112217	-
26W	112050	112045	112053	-



Philips Master Colour CDM-T



Art. n°	Description
153476	20W 830 G12
118023	35W 830 G12
151547	35W 842 G12
118024	70W 830 G12
118029	70W 942 G12
118025	150W 830 G12
118060	150W 942 G12



Philips CDM-T



Art. n°	Description
HID-PV C I	
137608	35W CDM / I HID-PV C
137129	70W CDM / I HID-PV C
HID-PV C S	
152787	35W CDM / S HID-PV C
154259	70W CDM / S HID-PV C





GUTE WAHL

Gute Wahl

LED Panel

Art. n°	Description
245177	36W 4000K 3240lm 60x60cm
245178	36W 4000K 3240lm 30x120cm



LED Batten

Art. n°	Description
Waterproof batten	
245179	17W 1870lm 4000K 120cm
245180	34W 3740lm 4000K 120cm
245181	27W 2970lm 4000K 150cm
245182	50W 5500lm 4000K 150cm
LED Batten Click T8	
245183	120cm pour 1x36W
245184	150cm pour 1x58W



Waterproof batten



LED Batten Click T8

LED Highbay

Art. n°	Description
245194	100W 11000lm 4000K 90D
245195	150W 16500lm 4000K 90D
245196	200W 22000lm 4000K 90D



LED Floodlight

Art. n°	Description
245410	20W 2000lm 3000K
245411	20W 2000lm 4000K
245412	50W 5000lm 3000K
245413	50W 5000lm 4000K



LED Downlight

Art. n°	Description
Standard	
245414	12W 1080lm 4000K 120D Ø110
245415	18W 1620lm 4000K 120D Ø155
Sensor	
245472	8W 3000/4000/6500K Ø90 Sensor
UGR<19	
245187	7W 560lm 3000K 60D UGR<19 Ø75
245188	12W 900lm 3000K 60D UGR<19 Ø90
245189	15W 1200lm 3000K 60D UGR<19 Ø110
Slim	
245190	15W 1200lm 4000K 110D Ø185
245191	18W 1450lm 4000K 110D Ø205
245192	24W 1950lm 4000K 110D Ø285



LED Sources

Art. n°	Description
245185	GU10 - 4-50W 345lm 827 36D
245186	A60 - 4-9-40W 470lm 830 E27



Legende



Dimmbar



Dimmbar 1-10V



Garantie



Einfache Installation



Kabellänge



Blendwirkung



Drehbar



Notbeleuchtung



Farbwiedergabeindex



Flimmerfrei



Lebensdauer



Glas



IK-Schutzklasse



Glasfaserverstärkter Kunststoff



IP-Schutzklasse



Durchgangsverdrahtung



Kippbar



Inkl. Starter



DALI Treiber



Farbe: RGB



Tageslichtsensor



Änderung der Farbtemperatur möglich



Bewegungssensor



Output



Unterschiedliche
Zusatzoptionen
verfügbar



Neues Produkt

BELEUCHTUNGSDIREKT

PROFESSIONELLE LED-BELEUCHTUNG



NOXION®
Best in class lighting